Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



WHOLESALE PRICE
LIST

SPRING 1935

FLBJ1 1900

U. S. Depertment of Agricultur

THE WESTMINSTER NURSERY
Westminster, Maryland

Bird's IMPROVED Flower Pots



RED POTS for shipping, etc.
BLACK POTS for growing.

| | Prices | per 1000 |
|--------------------------------------|----------------|--------------|
| Size | \mathbf{Red} | Black |
| 2 in. (1000 per carton) | \$3.65 | \$4.25 |
| $2\frac{1}{4}$ in. (1000 per carton) | 3.80 | 4.45 |
| $2\frac{1}{2}$ in. (1000 per carton) | 4.10 | 4.90 |
| 3 in. (1000 per carton) | 5.10 | 5.9 0 |
| $3\frac{1}{2}$ in. (1000 per carton) | 6.60 | 7.75 |
| 4 in. (500 per carton) | 8.00 | 9.00 |
| 5 in. (500 per carton) | 10.50 | 12.00 |
| 6 in. (500 per carton) | 14.00 | 15.50 |

All prices f. o. b. E. Walpole, Mass. Can quote you f. o. b. Westminster. Special discount for quantity orders. Less 5 per cent Cash with Order. Orders filled in carton lots only.

The Westminster Nursery

Westminster, Maryland

Terms and Conditions of Sale

This List Cancels All Previous Quotations

IMPORTANT—Five percent (5%) discount for cash with order before March 15th, 1935.

VERY IMPORTANT—Orders are always individually filled with fresh dug stock. Our customers appreciate the fact that we do not ship them stock that has dried out in the storage house.

PRICES—All prices quoted herein are f. o. b. our nursery, packing at cost. Packing free if cash accompanies orders. We will accept orders 5 of a variety at 10 rate; 25 of a variety at 100 rate; 250 of a variety at 1000 rate. Please use printed stationery or enclose business card when ordering. No orders accepted for less than \$1.00. Prices subject to change without notice.

PAYMENT—Payment shall be defined as payment by cash or current check. Invoices covering stock shipped in late Fall or Winter months for Spring use may be dated not later than April 1st.

TERMS—The usual terms are offered to those of established credit or whose responsibility is known to us. Cash, security or satisfactory references required from unknown parties. All invoices are payable 2%—10 days, 1%—30 days, or 60 days net.

INTEREST—Interest at the rate of 6% per annum shall be charged on accounts from maturity.

CONSIGNMENT—No stock will be sold directly or indirectly on consignment.

SHIPPING—Customers are required to give definite instructions in regard to manner of shipping that they desire. We ship by express and freight over the Western Maryland Railway which connects with the Pennsylvania and B. & O. Railroads and steamship lines in Baltimore. The White Transportation Co. and the Tidewater Bus Line also give motor truck service direct from the nursery.

AUTO TRUCK DELIVERY—We make deliveries by truck within 100 miles of our nurseries; our charges for this service are very moderate. Delivery by truck is very satisfactory and eliminates packing charges and insures quick delivery after plants are dug.

INSPECTION—A Certificate of Inspection accompanies each shipment.

GUARANTY—We give no guaranty, expressed or implied, as to description, quality, productiveness or any other matter of any nursery stock or bulbs we sell, and we will not be in any way responsible for the crop. All agreements and contracts are made subject to crop losses through unavoidable causes.

CLAIMS—Claims for any cause must be made promptly. Any stock that is not exactly as represented must be reported within five days after receipt of the goods.

SMALL QUANTITIES—We cannot undertake to supply long and assorted lists of stock calling for only small quantities of each kind for less than 20% additional to the prices quoted herein, as this list is issued exclusively for the Wholesale Trade and is not handled in connection with our Retail Department.

SPECIAL SELECTION—Additional charge is made when customer tags or selects extra specimen plant material.

LOCATION—We are located 28 miles Northwest of Baltimore, Md., and 22 miles south of Gettysburg, Pa. We invite you to visit our nursery.

Respectfully yours,
THE WESTMINSTER NURSERY.

Est. 1893. Telephone "Westminster 222".

Westminster, Maryland, February 21, 1935.

Members of the American Association of Nurserymen, the Eastern Association of Nurserymen and the Maryland Association of Nurserymen.

General Index

See detailed Common Name Index on inside back cover.

| EVERGREENS | Page 3 |
|------------------------|--------|
| BROADLEAVED EVERGREENS | . 8 |
| DECIDUOUS TREES | . 10 |
| FLOWERING TREES | . 15 |
| NUT TREES | . 16 |
| DECIDUOUS SHRUBS | . 16 |
| ROSES | . 25 |
| VINES | . 26 |
| PERENNIALS | . 28 |
| LINING OUT STOCK | . 59 |
| FRUIT TREES | . •66 |
| SMALL FRUITS | . 67 |

BOXING CHARGES

| Length: | 12x15" | 15x16" | 17x20" | 19x24" | 23x28" | 27x32" | 31x36" |
|-------------------------------------|--------------|------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--|
| 4' 6' 8' 10' 12' 14' | 1.00 1.25 | 1.00 1.25 1.50 2.50 | 1.25 1.50 1.75 2.75 3.25 | 1.50 1.75 2.00 3.25 3.50 | 1.75 2.00 2.50 3.50 4.00 | 2.00 2.50 2.75 4.00 5.00 | 2.50 2.75 3.25 4.50 5.50 6.00 |

Evergreens

All our evergreens have been sheared and two or three times transplanted. The prices quoted include B. & B. and are based on well-developed and well-shaped stock.

| and the stoom. | | |
|--|----------------|-----------------------|
| CHAMAECYPARIS | | |
| Lawsoniana (Lawson Cypress) 10 | | |
| , | Per 10 | Per 100 |
| 2 to 2½ ft | 5.00 | 45. 00 |
| 2½ to 3 ft | 6.50 | 60.00 |
| 3 to 4 ft | 9.00 | 90.00 |
| 4 to 5 ft | 12.50 | 115.00 |
| 5 to 6 ft | 17. 50 | 150.00 |
| 6 to 7 ft | 27.50 | 250.00 |
| 7 to 8 ft | 32.50 | 300.00 |
| Torramiana alumi (Carab Cross | 2001 | 150/ |
| Lawsoniana alumi (Scarab Cypro | | |
| 10.4.04.1 | Each | Per 10 |
| 18 to 24 in | 1.00 | 9.00 |
| 2 to 2½ ft | 1.25 | 11.50 |
| 2½ to 3 ft | 1.60 | 15.00 |
| 3 to 3½ ft | 2.00 | 17.5 0 |
| 3½ to 4 ft | 2.50 | 20.00 |
| Obtusa (Hinoki Cypress) 25'-35' | | |
| Obtasa (IIIIoki Oypiess) 20 -30 | Per-10 | |
| 3 to 4 ft | 15.00 | |
| | 25.00 | |
| 4 to 5 ft | 25.00 | |
| Obtusa gracilis (Slender Hinoki | Cypress) | 12'-15' |
| 12 to 15 in | 6.50 | |
| 15 to 18 in | 7.50 | |
| 18 to 24 in | 12.50 | |
| | | |
| Obtusa gracilis compacta (For | Rock G | lardens) |
| ° 3′-5′ | Each | $\mathbf{Per} \ 10$ |
| 10 to 12 in | .50 | 4.50 |
| Picifora (Sawaya Patinganaya)01 | 21 9 21 | |
| Pisifera (Sawara Retinospora)25 | | Don 100 |
| 19 40 94 : | Per 10 | Per 100 |
| 18 to 24 in | 4.00 | 35.00 |
| 2 to 2½ ft | 5.00 | 45.00 |
| 2½ to 3 ft | 7.00 | 65.00 |
| 3 to 4 ft | 9.00 | 85.00 |
| 4 to 5 ft | 12.50 | 115.00 |
| 5 to 6 ft | 17.5 0 | • |
| 6 to 7 ft | 25.00 | |
| Pisifera Aurea (Golden Sawara : 25'-35' | Retinospo | ora) |
| 18 to 24 in | 4.00 | 40.00 |
| | | |
| 2 to 2½ ft | 5.00 | 45.00 |
| $2\frac{1}{2}$ to 3 ft | 7.00 | 65.00 |
| 3 to 4 ft | 9.00 | 85.00 |
| 4 to 5 ft | 12.50 | 115.00 |
| 5 to 6 ft | 17.50 | |
| 6 to 7 ft | 25.00 | |
| Pisifera plumosa (Plume Retinos | pora) 25 | ' -35 ' |
| 15 to 18 in | 3.00 | 25.00 |
| 18 to 24 in | 4.00 | 30.00 |
| 2 to 2½ ft | 5.00 | 45.00 |
| 2½ to 3 ft | 7.00 | 65.00 |
| 3 to 4 ft | 9.00 | 85.00 |
| 0 10 4 11, , , , , , , , , , , , , , , , , , | M 1 H 1 | - A7 IIII |
| | | |
| 4 to 5 ft | 12.50 17.50 | 115.00 150.00 |

| Pisifera plumosa aurea (Goldenplus 25'-35' | me Reti | nospora) |
|---|------------------------|---------------|
| 20 00 | Per 10 | Per 100 |
| 15 to 18 in | 3.00 | 25.00 |
| 18 to 24 in | 4.00 | 35.00 |
| | 5.00 | 45.00 |
| 2 to 2½ ft | 7.00 | 65.00 |
| $2\frac{1}{2}$ to 3 ft | | |
| 3 to 4 ft | 9.00 | \$5.00 |
| Pisifera squarrosa veitchi (Silver 25'-30' | r Cypres | |
| 15 to 18 in | 4.00 | 35.00 |
| 18 to 24 in | $\boldsymbol{6.00}$ | 55.00 |
| 2 to $2\frac{1}{2}$ ft | 7.50 | 70.00 |
| $2\frac{1}{2}$ to 3 ft | 10.00 | 90.00 |
| 3 to 4 ft | 15.00 | |
| JUNIPERUS (Juniper) Chinensis (Chinese 15'-20' | | 4. |
| 2 to 2½ ft | 11.00 | 100.00 |
| $2\frac{1}{2}$ to 3 ft | 15.00 | 140.00 |
| 3 to 4 ft | 17.50 | 165.00 |
| 0 10 1 10 110 110 110 110 110 110 110 1 | 21100 | 200100 |
| Chiensis columnaris (Columnar) | 15′-20′ | |
| 2½ to 3 ft | 10.00 | 90.00 |
| 3 to 4 ft | 14.00 | 125.00 |
| 4 to 5 ft | 17.50 | 150.00 |
| 5 to 6 ft | 20.00 | 175.00 |
| 0 10 0 10 | 20.00 | 175.00 |
| Chinensis columnaris viridis (Gro | | 20'-25' |
| 15 to 18 in | | |
| Chinensis pfitzeriana (Pfitzer) 5 | 5 ′ -6 ′ | |
| 15 to 18 in. spread | 4.00 | 35.00 |
| 18 to 24 in. spread | 6.00 | 55.00 |
| 24 to 30 in. spread | 8.00 | 75.00 |
| 30 to 36 in. spread | 10.00 | 95.00 |
| 36 to 42 in. spread | 15.00 | 140.00 |
| * | | |
| Chinensis sargenti (Sargent) 1 15 to 18 in | | 100.00 |
| Communia denvegas (Duestrota) | 21.21 | |
| Communis depressa (Prostrate) | | |
| 12 to 15 in. spread | 4.00 | |
| 15 to 18 in. spread | 5.00 | |
| 18 to 24 in. spread | | 1 |
| 24 to 30 in. spread | | |
| 30 to 36 in. spread | 10.00 | |
| Communis depressa aurea (Golde 2'-3' | n Prostr | ate) |
| 12 to 15 in. spread | 4.00 | |
| 15 to 18 in. spread | 5.00 | |
| 18 to 24 in. spread | 6.00 | |
| 24 to 30 in. spread | 8.00 | |
| 30 to 36 in. spread | 10.00 | |
| Communis depressa plumosa (And Purple Spreading) 3'-4' | | |
| | 4.00 | 35.00 |
| 15 to 18 in spread | | |
| 18 to 24 in. spread | 6.00 | 50.00 |
| 24 to 30 in. spread | 8.00 | 75.00 |
| 30 to 36 in. spread | 10.00 | 95.00 |
| 36 to 42 in. spread | 15.00 | 135.00 |

| | Per 10 | Per 100 |
|--|---------------|--------------|
| Communis hibernica (Irish) 10'-1 | .5′ | |
| 15 to 18 in | 3.50 | 27.50 |
| 18 to 24 in | 4.50 | 35.00 |
| 2 to 2½ ft | 5.00 | 45.00 |
| | | |
| 2½ to 3 ft | 6.00 | 55.00 |
| 3 to 4 ft | 7.00 | 65.00 |
| 4 to 5 ft | 10.00 | 90.00 |
| 5 to 6 ft | 15.00 | |
| 6 to 7 ft | 22.50 | |
| | | |
| Communis oblonga 7'-8' | F 00 | |
| 15 to 18 in | 5.00 | |
| 18 to 24 in | 6.00 | |
| 24 to 30 in | 9.00 | |
| 2½ to 3 ft | 11.00 | |
| Exacles stricts (Spiny Greek) 4 | , e, | |
| Excelsa stricta (Spiny Greek) 4 | | 40.00 |
| 10 to 12 in | 4.50 | 40.00 |
| 12 to 15 in | 6.00 | 50.00 |
| 15 to 18 in | 8.00 | 75.00 |
| 18 to 24 in | 10.00 | 90.00 |
| | | |
| Horizontalis (Creeping) 1'-2' | | |
| 12 to 15 in. spread | 5.50 | |
| 15 to 18 in. spread | 6.50 | |
| 18 to 24 in. spread | 8.00 | |
| 24 to 30 in. spread | 10.00 | |
| | | d. |
| Horizontalis glauca (Blue Creepi | ing Savi | in) |
| 18 to 24 in | 15.00 | |
| 2 to 2½ ft | | |
| 2 00 2/2 10 | 20.00 | |
| Japonica (Japanese) 6'-8' | | |
| 12 to 15 in. spread | 4.00 | |
| 15 to 10 in spread | | |
| 15 to 18 in. spread | 5.00 | |
| 18 to 24 in. spread | 7.50 | |
| Sabina (Savin) 6'-7' | | • |
| 15 to 18 in. spread | 4.00 | 35.00 |
| | | |
| 18 to 24 in. spread | 6.00 | |
| 24 to 30 in. spread | 8.00 | |
| 30 to 36 in. spread | 10.00 | 95.00 |
| 36 to 42 in. spread | 15.00 | 140.00 |
| Sabina tamariscifolia (Tamarix | Savin | 11/4'-2' |
| 12 to 18 in | 9.00 | 1/2 4 |
| | | |
| 18 to 24 in | 12.50 | |
| Sphaerica (Fortune's Juniper) 20 | 0'-30' | |
| 2 to 2½ ft | | |
| 2½ to 3 ft | 17.50 | |
| 3 to 4 ft | 20.00 | |
| O 10 ± 16 | ∠∪. ∪∪ | |
| Squamata meyeri (Meyer) 3'-4' | | |
| 12 to 15 in | 6.00 | 50.00 |
| 15 to 18 in | 8.00 | 75.00 |
| 18 to 24 in | 12.50 | |
| | | |
| Virginiana (Redcedar) 30'-50' 3 to 4 ft | 12.50 | |
| | | |
| 4 to 5 ft | 15.00 | |
| 5 to 6 ft | 22.50 | |
| 6 to 7 ft | 35.00 | |
| | | |

⁵ of a variety at 10 rate; 25 of a variety at 100 rate; 250 of a variety at 1,000 rate

| | Per 10 | Per 100 |
|-----------------------------------|----------------|------------------|
| Virginiana burki (Burk's) 10'-12' | | |
| 2 to 2½ ft | 12.00 | 100.00 |
| 2½ to 3 ft | 14.50 | 125.00 |
| 3 to 4 ft | 17. 50 | 150.00 |
| Virginiana keteleeri (Keteleer R | Redcedar |) 15'-18' |
| 15 to 18 in | 7.50 | ′ |
| 18 to 24 in | 12.50 | |
| $2 t_0 2\frac{1}{2} ft. \dots$ | 17.50 | |
| Virginiana Kosteri (Koster Red | Codor | 21_11 |
| 15 to 18 in. spread | 16.50 | 0 -# |
| | 20.00 | |
| | 7. \ 7. | 7.001 |
| Virginiana schotti (Schott Redce | • | |
| 2 to $2\frac{1}{2}$ ft | 12.00 18.00 | |
| 2½ to 3 ft | 25.00 | |
| 5 to 4 1t | 20.00 | 200.00 |
| PICEA (Spruce) | | |
| Excelsa (Norway) 80'-100' | | |
| 12 to 18 in | 3.50 | 30.00 |
| 18 to 24 in | 4.50 | 40.00 |
| 2 to 3 ft | 6.00 | 50.00 |
| 3 to 4 ft | 10.00 | 90.00 |
| 4 to 5 ft | 14.00 | |
| 5 to 6 ft | 20.00 | |
| Pungens kosteri (Koster Blue) 6 | 0′-80 ′ | |
| 15 to 18 | | 150.00 |
| 18 to 24 in | | 250.00 |
| PINUS (Pine) | | |
| | | |
| Montana mughus (Mugho) 3'-4' | 4.00 | 07.00 |
| 10 to 12 in. spread | 4.00 | 35.00 |
| 12 to 15 in. spread | 5.00 | 45.00 |
| 15 to 18 in. spread | 7.50 | 65.00 |
| 18 to 24 in. spread | 12.00 16.00 | 100.00 140.00 |
| 24 to 30 in. spread | 10.00 | 140.00 |
| Nigra (Austrian) 60'-70' | | |
| 15 to 18 in | 5.00 | 40.00 |
| 18 to 24 in | 6.00 | 50.00 |
| 24 to 30 in | 7.50 | 65.00 |
| 30 to 36 in | 8.50 | 75.00 |
| 3 to 4 ft | 15.00 | 125.00 |
| 4 to 5 ft | 20.00 | 175.00 |
| Sylvestris (Scotch) 30'-40' | | |
| 18 to 24 in | 3.50 | 30.00 |
| 2 to 3 ft | 4.50 | 40.00 |
| 5 to 6 ft | 26.00 | 250.00 |
| 6 to 8 ft | 40.00 | |
| RETINOSPORA (See Chamaecypan | is) | |
| THUJA (Arborvitae) | | |
| Occidentalis (American) 20'-30' | | |
| 18 to 24 in | 3.00 | 25.00 |
| 2 to 2½ ft | 4.00 | 35.00 |
| $2\frac{1}{2}$ to 3 ft | 4.50 | 50.00 |
| 3 to 4 ft | 6.50 | 60.00 |
| 4 to 5 ft | 8.00 | 75.00 |
| 5 to 6 ft | 12.50 | 115.00 |
| 6 to 7 ft | 16.00 | |

| | Per 10 | Per 100 |
|---|------------------------|---------------|
| Occidentalis compacta (Parson's) | 3 ' -5 ' | |
| 12 to 15 in | 3.50 | 30.00 |
| 15 to 18 in | 4.50 | 40.00 |
| 18 to 24 in | 6.00 | 50.00 |
| 24 to 30 in | 8.50 | 75.00 |
| 30 to 36 in | 10.00 | |
| Occidentalis globosa (Globe) 3'-4 | Ę ' | |
| 9 to 12 in | 3.00 | 25.00 |
| 12 to 15 in | 3.50 | 30.00 |
| 15 to 18 in | 4.50 | 40.00 |
| 18 to 24 in | 6.00 | 50.00 |
| 24 to 30 in | 8.00 | |
| Occidentalis hoveyi (Hovey) 3'-4 | !' | |
| 12 to 15 in | 3.50 | 30.00 |
| 15 to 18 in | 4.50 | 40.00 |
| 18 to 24 in | 6.00 | 50.00 |
| 24 to 30 in | 8.00 | 7 5.00 |
| 30_to 36 in | 10.00 | |
| 36 to 42 in | 12.50 | |
| Occidentalis Little Gem (For Ro | ck Gard | ens) |
| 11/2'-2' | Each | Per 10 |
| 6 to 8 in | .50 | 4.50 |
| 8 to 10 in | .65 | 6.00 |
| Occidentalis lutea (George Peabo | Per 10 | |
| 15 to 18 in | | |
| 18 to 24 in | 5.50 | |
| Occidentalis pyramidalis (Pyram | idal) 15 | ′-30′ |
| 18 to 24 in | 3.50 | 30.00 |
| 2 to 2½ ft | 4.50 | |
| 2½ to 3 ft | 6.00 | 55.00 |
| 3 to 4 ft | 7.50 | |
| 4 to 5 ft | | 90.00 |
| 5 to 6 ft | | 115.00 |
| 6 to 8 ft | | 275:00 |
| 8 to 10 ft | 40.00 | |
| Occidentalis umbraculifera (Cush | ion or | |
| Umbrella) 3'-4' | | |
| 15 to 18 in | 5. 00 | |
| 18 to 24 in | 6.00 | |
| Occidentalis warena (Siberian) | l2'-15' | |
| 15 to 18 in | 3.00 | 25.00 |
| 18 to 24 in | 4.50 | 35.00 |
| 24 to 30 in | 6.00 | 5 0.00 |
| Occidentalis warena aurea (Gold | en Sibe | rian |
| or Goldspot) 12'-15' | | |
| 18 to 24 in | 4.50 | 35.00 |
| 24 to 30 in | 6.00 | |
| 2½ to 3 ft | 9.00 | |
| 3 to $3\frac{1}{2}$ ft | 40 | |
| 72 = 10 1, 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 12.50 | |
| Orientalis aurea (Golden Orienta | | 5 ' |
| | | 5' 35.00 |
| Orientalis aurea (Golden Orienta | l) 15′- 25 | |

| Orientalis aurea nana (Berckman | 's Gold | en) |
|---|--------------|---------------|
| 3'-5' | Per 10 | Per 106 |
| 9 to '12 in | 3.50 | 30.00 |
| 12 to 15 in | 5.00 | 45.00 |
| 15 to 18 in | 6.00 | 55.0 0 |
| 18 to 21 in | 9.00 | 80.00 |
| 21 to 24 in | 11.00 | 100.00 |
| 24 to 30 in | 14.00 | |
| Orientalis elegantissima (Yellow 7'-10' | Colum | 1) |
| 18 to 24 in | 5.00 | 40.00 |
| 2 to 2½ ft | 7.50 | 60.00 |
| $2\frac{1}{2}$ to 3 ft | 10.00 | 90.00 |
| 3 to $3\frac{1}{2}$ ft | 12.50 | 115.00 |
| 5 to 6 ft | 27.50 | |
| 6 to 7 ft | 35.00 | 4, |
| Broad Leaved Eve | | eens |
| 15 to 18 in. B&B | 2.50 | 20.00 |
| 18 to 24 in. B&B | 3.50 | 30.00 |
| 2 to 3 ft. B&B | 4.50 | 40.00 |
| AZALEAS | | |
| Amoena (Kurume) rosy purple 3 | '-4' | |
| 4 to 6 in. B&B | 3.00 | 25.00 |
| 6 to 8 in. B&B | 4.00 | 35.00 |
| 8 to 10 in. B&B | 5.00 | 45.00 |
| 10 to 12 in. B&B | 7. 50 | 60.00 |
| Apple Blossom—pale pink, spott | ed dark | er pink. |
| 4 to 6 in. B&B | 4.00 | 30.00 |
| 6 to 8 in. B&B | 5.00 | 40.00 |
| 8 to 10 in. B&B | 6.00 | 50.00 |
| Christmas Cheer (Kurume)—brig | th red. | 3'-4' |
| 4 to 6 in. B&B | 5.00 | |
| 6 to 8 in. B&B | 6.00 | 50.00 |
| 8 to 10 in. B&B | 8.00 | 70.00 |
| Coral Bells-shell pink, darker | in cente | er. 3'-4' |
| 2 to 4 in. B&B | 4.00 | |
| 4 to 6 in. B&B | 5.00 | 40.00 |
| 6 to 8 in. B&B | 6.00 | |
| Flame (Kurume)—brilliant coppe | er-red. | 3'-4' |
| 4 to 6 in. B&B | 4.00 | 30.00 |
| 6 to 8 in. B&B | 5.00 | 40.00 |
| Hinamoyo (Kurume)—clear pink | . 3'-4' | |
| 4 to 6 in. B&B | 4.00 | 30.00 |
| 6 to 8 in. B&B | 5.00 | 40.00 |
| Hinodogini (IZ) h.::11: | gaonl st | 3'-4' |
| | scarlet. | |
| 2 to 4 in. B&B | 3.00 | |
| 4 to 6 in. B&B | 4.00 5.00 | 40.00 |
| 6 to 8 in. B&B | 6.00 | |
| 8 to 10 in. B&B | 0.00 | 50.00 |
| Indica alba—single white. 3'-4' | | |
| 6 to 8 in. B&B | 6.00 | 50.00 |
| 8 to 10 in. B&B | 8.00 | 70.00 |
| 12 to 15 in. B&B | 12.00 | 100.00 |

| · | Per 10 | Per 100 |
|---|-------------|---------------|
| Macrantha (Indica)—red salmon | | 101100 |
| 4 to 6 in. B&B | 3.00 | 25.00 |
| 6 to 8 in. B&B | 4.00 | 30.00 |
| | | |
| Maxwelli (Kurume)—large carm | | 3'-4' |
| 8 to 10 in. B&B | 10.00 | 90.00 |
| 10 to 12 in. B&B | 12.00 | 100.00 |
| 12 to 15 in. B&B | 14.00 | 120.00 |
| Morning Glow-rose-pink, center | darker | and |
| striped. 3-4' | | |
| 2 to 4 in. B&B | 3.00 | 25.00 |
| 4 to 6 in. B&B | 4.00 | 30.00 |
| 6 to 8 in. B&B | 5.00 | 40.00 |
| Peach Blossom-dark pink. 3'-4' | • | |
| 4 to 6 in. B&B | 4.00 | 30.00 |
| 6 to 8 in. B&B | 5.00 | 40.00 |
| | | |
| Peach Blow—very pale pink. 3'- | | 20.00 |
| 2 to 4 in. B&B | 4.00 | 30.00 |
| 4 to 6 in. B&B | 5.00 | 40.00 |
| Pink Beauty—lovely pink. 3'-4' | | |
| 4 to 6 in. B&B | 7.00 | 60.00 |
| 6 to 8 in. B&B | 8.00 | 70.00 |
| Pink Pearl (Kurume)—salmon-ro | so light | or in |
| center. 3'-4' | sc, ngn | 01 111 |
| 4 to 6 in. B&B | 4.00 | 30.00 |
| 6 to 8 in. B&B | 5.00 | 40.00 |
| 8 to 10 in. B&B | 8.00 | 75.00 |
| | | |
| Yayegiri (Kurume)—salmon-red. | 3'-4' | 22.00 |
| 4 to 6 in. B&B | 4.00 | 30.00 |
| 6 to 8 in. B&B | 5.00 | 40.0 0 |
| BERBERIS (Barberry) | | |
| (= 0.10 0.10) | Each | Per 10 |
| Julianae (Wintergreen) 5'-6' | | |
| 10 to 12 in. B&B | .40 | 3.75 |
| 12 to 15 in. B&B | .50 | 4.25 |
| 15 to 18 in. B&B | .70 | 6.25 |
| 18 to 24 in. B&B | 1.00 | 9.00 |
| Verruculosa (Warty) 3'-4' | | |
| 12 to 15 in. B&B | .70 | 6.25 |
| 15 to 18 in. B&B | 1.20 | 9.50 |
| | | |
| BUXUS (Boxwood) | T | T) 400 |
| 9 | Per 10 | |
| Sempervirems (Common Bush Fo | | |
| 10 to 12 in. B&B | | 30.00 |
| 12 to 15 in. B&B | 4.50 | 40.00 |
| 15 to 18 in. B&B | 6.00 | 50.00 |
| 18 to 24 in B&B | 10.00 | 90.00 |
| Sempervirens suffruticosa (Trued | warf E | nglish) |
| 5'-8' | | 4 |
| 4 to 6 in. from beds | 1.50 | 10.00 |
| 6 to 8 in. from beds | 2.50 | 20.00 |
| 6 to 8 in. heavy B&B | 4.00 | 35.00 |
| 8 to 10 in. extra heavy B&B | 5.00 | 40.00 |
| 10 to 12 in. extra heavy B&B | | 70.00 |
| 12 to 15 in. extra heavy B&B (Add 3c extra per plant to 1 | | 125.00 |
| in. and 6 to 8 in. grades from | | |
| In. and o to o in. grades in | , m. neus. | , |

⁵ of a variety at 10 rate; 25 of a variety at 100 rate; 250 of a variety at 1,000 rate

| COTONEASTER | Each | Per 10 |
|---|-----------------------------------|---------------------------|
| Divaricata (Spreading) 5'-6' | | |
| 2 to 3 ft. B&B | .75 | |
| 3 to 4 ft. B&B | 1.25 | |
| Francheti (Franchet) 5'-7' | 50 | 4.00 |
| 15 to 18 in. B&B | .50 .65 | 4.00 5.50 |
| | 100 | \ |
| Horizontalis (Rock) 2'-3' 15 to 18 in., 5 in. pots | .50 | 4.00 |
| 18 to 24 in., 6 in. pots | .75 | 6.50 |
| Microphylla (Rock spray) 2'-21/2' | • | |
| 15 to 18 in., 5 in. pots | .50 | 4.00 |
| 18 to 24 in., 6 in. pots | .75 | 6.50 |
| Simonsi (Simons) 5'-6' 12 to 18 in. B&B | .40 | 3.50 |
| 18 to 24 in, B&B | .60 | 5.50 |
| 24 to 30 in. B&B | .90 | 8.00 |
| EUONYMUS | Per 10 | |
| Japonicus (Evergreen Burningbu | sh) 12'- | 15 ' . |
| 8 to 12 in. B&B | 3.50 | |
| 12 to 18 in. B&B | 4.50 5.50 | |
| 24 to 30 in. B&B | 7.00 | |
| Japonicus albovariegatus (Silve bush)12'-15' | erspot] | Burning- |
| 10 to 12 in. B&B | 4.00 | ` |
| 12 to 15 in. B&B | 5.00 | 1 7 |
| (See other varieties of Euony ciduous Shrubs and under Vir | | ider De- |
| LIGUSTRUM japonicum (Japanes | • | t) 8'-10' |
| 12 to 18 in. B&B | 4.00 | 0) 0 10 |
| 18 to 24 in. B&B | 6.00 | |
| LONICERA nitida (Japanese Priv | et Hone | ysuckle) |
| 12 to 15 in. B&B | 5.00 | • |
| 15 to 18 in. B&B | 6.50 | |
| PIERIS | Each | Per 10 |
| Floribunda (Mountain Andromed | | 10.00 |
| 12 to 15 in. B&B | $1.25 \\ 1.75$ | 10.00 16.00 |
| | | 10.00 |
| Japonica (Japanese Andromeda) 12 to 15 in. B&B | 1.00 | 8.50 |
| 15 to 18 in. B&B | 1.40 | 12.00 |
| RHODODENDRONS | | |
| UIODODHUDIOUS | | |
| Varieties, sizes and prices on ap | plication | 1. |
| Varieties, sizes and prices on ap | | |
| Varieties, sizes and prices on ap Deciduous T | | |
| Varieties, sizes and prices on ap Deciduous T ACER (Maple) | rees | |
| Varieties, sizes and prices on ap Deciduous T ACER (Maple) Dasycarpum (Silver) 60'-80' 6 to 8 ft | rees | Per 100 30.00 |
| Varieties, sizes and prices on ap Deciduous T ACER (Maple) Dasycarpum (Silver) 60'-80' 6 to 8 ft | rees | Per 100 30.00 |
| Deciduous T ACER (Maple) Dasycarpum (Silver) 60'-80' 6 to 8 ft | Per 10 3.50 5.00 | Per 100 30.00 45.00 |
| Deciduous T ACER (Maple) Dasycarpum (Silver) 60'-80' 6 to 8 ft | Per 10 3.50 5.00 aved Ma | Per 100 30.00 45.00 |
| Deciduous T ACER (Maple) Dasycarpum (Silver) 60'-80' 6 to 8 ft | Per 10 3.50 5.00 aved Ma | Per 100 30.00 45.00 |
| Deciduous T ACER (Maple) Dasycarpum (Silver) 60'-80' 6 to 8 ft | Per 10 3.50 5.00 aved Ma | Per 100 30.00 45.00 |

| Platanoides (Norway) 50'-75' | Per 10 | Per 100 |
|--|--------------|---------|
| 6 to 8 ft | 6.00 | 50.00 |
| 8 to 10 ft. 1 to 1¼ in. cal | 7.50 | 70.00 |
| | | |
| 8 to 10 ft. 1½ to 1½ in. cal | 10.00 | |
| 10 to 12 ft. 1½ to 1¾ in. cal | 13.00 | 110.00 |
| 1¾ to 2 in. cal | 16.00 | |
| 2 to $2\frac{1}{4}$ in. cal | 20.00 | |
| $2\frac{1}{4}$ to $2\frac{1}{2}$ in. cal | 25.00 | |
| $2\frac{1}{2}$ to 3 in cal | 32.50 | |
| 3 to 3½ in. cal | 42.50 | |
| | 50.00 | |
| 3½ to 4 in. cal | 90.00 | |
| Platanoides schwedleri (Schwedle 50'-70' | er's Scar | let) |
| 6 to 8 ft. branched | 6.00 | |
| 8 to 10 ft. branched | 9.00 | |
| 8 to 10 ft. 1¼ to 1½ in. cal | 12.50 | |
| 10 to 12 ft. 1½ to 1¾ in. cal. | 17.50 | |
| | | |
| 10 to 12 ft. 1¾ to 2 in. cal | 22.50 | |
| 12 to 14 ft. to 2¼ in. cal | 30.00 | |
| Rubrum (Red) 60'-80' | | |
| 6 to 8 ft | 5.00 | |
| 8 to 10 ft | 7. 00 | |
| | | |
| 8 to 10 ft. 1¼ to 1½ in. cal | 9.00 | |
| 10 to 12 ft. 1½ to 1¾ in. cal | 12.50 | |
| 10 to 12 ft. 1¾ to 2 in. cal | 15.00 | ` |
| Saccharum (Sugar) 60'-100' | | |
| 6 to 8 ft | 6.00 | |
| | | |
| 8 to 10 ft. 1 to 1¼ in. cal | 9.00 | |
| 10 to 12 ft. 1½ to 1½ in. cal. | 15.00 | |
| 10 to 12 ft. 1½ to 1¾ in. cal. | | |
| 12 to 14 ft. 1¾ to 2 in. cal | 25.00 | |
| 12 to 14 ft. 2 to 21/4 in. cal | 32.00 | |
| AFROITIE globre (Ohio Buckeye | \ FO! 70 | , |
| AESCULUS glabra (Ohio Buckeye | | |
| 2 to 3 ft | 5.00 | |
| 3 to 4 ft | 5.50 | |
| 4 to 5 ft | 6.50 | |
| 5 to 6 ft | 7.50 | |
| AT BITTE (Alam) 70/90/ | | |
| ALNUS (Alder) 70'-80' | | |
| Glutinosa (European) 3 to 4 ft | 0.50 | 90.00 |
| | 2.50 | 20.00 |
| 4 to 5 ft | 3.50 | 30.00 |
| 5 to 6 ft | 4.50 | 40.00 |
| 6 to 8 ft | 6.00 | 50.00 |
| Incana (Speakled) 40' 60' | | |
| Incana (Speckled) 40'-60' 2 to 3 ft | 3.50 | |
| | | |
| 3 to 4 ft | 4.50 | |
| 4 to 5 ft | 5.50 | |
| BETULA (Birch) | | |
| Alba (European White) 30'-50' | | |
| 6 to 8 ft | 6.00 | |
| | | • |
| 8 to 10 ft. 1½ to 1½ in. cal | 10.00 | |
| 10 to 12 ft. 1½ to 1 ¾ in. cal. | 13.50 | |
| 12 to 14 ft. 1¾ to 2 In. cal | 16.00 | |
| 12 to 14 ft. 2 to 2½ in. cal | | |
| 14 to 16 ft. $2\frac{1}{2}$ to 3 in, cal | 25.00 | |
| Papyrifera (Canoe) 50'-75' | | |
| 4 to 5 ft | 4.00 | |
| 5 to 6 ft | 5.00 | |
| | | |
| 6 to 8 ft | 7.50 | * |

| | Per 10 Per | |
|--|----------------|--------------|
| Pendula laciniata (Cut Leaf Wee | | |
| 6 to 8 ft. B&B | 15.00 | |
| 10 to 12 ft. 1½ to 1¾ in. cal. | | |
| B&B | 40.00 | |
| 12 to 14 ft. 1¾ to 2 in. cal. | 22.22 | |
| B&B | 60.00 | |
| 2 to 2½ in. cal. B&B | 75.00 | |
| CATALPA (Catalpa) | | |
| Bungei (Umbrella Tree) 10'-15' | | |
| These are all sturdy, first cla | ass trees. | |
| 1 yr. head 4 to 5 ft. stem | | 0.00 |
| 1 yr. head 5 to 6 ft. stem | | 5.00 |
| 2 yr. head 4 to 5 ft. stem | 3.00 2 | 5.00 |
| 2 yr. head 5 to 6 ft. stem, $1\frac{1}{2}$ | 0.50 | |
| in. cal., extra heavy | 3.50 | 0.00 |
| 2 yr. head 6 to 7 ft. stem, 134 | 4.00 3 | 5.00 |
| in. cal., extra heavy | 4.00 | 5.00 |
| Speciosa (Western) 30'-35' | | |
| 5 to 6 ft | 2.50 1 | |
| 6 to 8 ft | 3.00 2 | |
| 8 to 10 ft | 5.00 4 | 0.00 |
| CELTIS occidentalis (Northern Ha | ckberry) 50 | '-60' |
| 3 to 4 ft | .4.50 | |
| 4 to 5 ft | 5.50 | |
| 5 to 6 ft | 6.50 | |
| 6 to 8 ft | 10.00 | |
| CERCIS consdensis (American De | aha\ 00/ 05 | , |
| CERCIS canadensis (American Re 6 to 8 ft | 9.00 | |
| 8 to 10 ft | 15.00 | |
| 10 to 12 ft | | |
| ' A | | |
| FRAXINUS americana (White Ar | nerican Ash) | |
| 75′-100′ | 0.50 | |
| 8 to 10 ft. 1½ to 1½ in. cal. | | 0.00 |
| 10 to 12 ft. 1½ to 1¾ in. cal. 10 to 12 ft. 1¾ to 2 in. cal | | 5.00 5.00 |
| 10 to 12 ft. 194 to 2 in. cal 12 to 14 ft. 2 to 2½ in. cal | | 5.00 |
| | | |
| GLEDITSIA triacanthos (Common | Honeylocust | 5) |
| 60'-70' | 4.00 | |
| 5 to 6 ft | 4.00 | |
| 6 to 8 ft | 6.00 8.00 | |
| 8 10 10 11 | 0.00 | |
| GYMNOCLADUS dioica (Kentuck | y Coffeetree) | |
| 50'-70' | | |
| 18 to 24 in | 2.75 | |
| 2 to 3 ft | 3.50 | |
| 3 to 4 ft | 6.00 | |
| 4 to 5 ft | 9.00 | |
| 5 to 6 ft | 12.50 | |
| KOELREUTERIA paniculata (Go | ldenrain-tree |) |
| 25'-30' | | , |
| 18 to 24 in | 2.75 | |
| 2 to 3 ft | 3.50 | |
| 3 to 4 ft | 5.00 | |
| 4 to 5 ft | 7.00 | |
| TADIV omnones (Tomore T | \ F0! c0! | |
| LARIX europaea (European Larch | | |
| 6 to 8 ft. B&B | 18.00 | |
| 8 to 10 ft. B&B | 20.00 30.00 | |
| 10 to 12 ft. B&B | 30.00 | |

| | • | |
|--|---|---------------------------|
| • | TD 10 | TD #00 |
| TTOTTED ADED AD A CO | | Per 100 |
| LIQUIDAMBAR styraciflua (Swee | ${ m etgum})$ | 75 '-1 00 ' |
| 2 to 3 ft | 5.00 | |
| 3 to 4 ft | 7.50 | |
| 4 to 5 ft | 9.00 | |
| 5 to 6 ft | | |
| | 12.00 | |
| 8 to 10 ft | 20.00 | |
| 10 to 12 ft | 30.00 | |
| 12 to 14 ft | 40.00 | |
| | | |
| LIRIODENDRON tulipifera (Tuli | otree) : | 100′-150′ |
| 6 to 8 ft | 7.00 | |
| 8 to 10 ft | | |
| 0 10 10 10. | 0.00 | |
| MODIIC (Mall | | |
| MORUS (Mulberry) | | |
| Alba pendula (Teas Weeping) 8' | -10' | |
| 1 yr. head 5 to 6 ft. stem | | |
| • | 0.00 | |
| Alba tatarica (Russian) 35'-50' | | |
| 5 to 6, ft | 3.50 | |
| | | |
| PHOTINIA villosa (Christmasberr | v) 124 | 15' |
| 2 to 3 ft | | |
| | | |
| 3 to 4 ft | 4.00 | |
| 4 to 5 ft | 5.00 | |
| | | |
| PLATANUS (Planetree) | | |
| Occidentalis (American Planetre | a. also | |
| called Sycamore) 75'-100' | , 4150 | |
| | 5 00 | 00.00 |
| 8 to 10 ft. 1 to 1¼ in. cal. | | 60.00 |
| 8 to 10 ft. $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal | 8.50 | 80.00 |
| 10 to 12 ft. 1½ to 1¾ in. cal. | 11.00 | |
| 10 to 12 ft. 1¾ to 2 in. cal. | | |
| 20 00 22 200 2/4 00 2 220 0000 | | |
| Orientalis (European or Oriental | Planet | ree) |
| 70'-80' | | , |
| 6 to 8 ft | 4.00 | 35.00 |
| | | |
| 8 to 10 ft. 1 to 1¼ in. cal. | 6.00 | 50.00 |
| 8 to 10 ft. 11/4 to 11/2 in. cal. | 8.00 | 7 0.00 |
| 10 to 12 ft. $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal. | 10.00 | 90.00 |
| 10 to 12 ft. 1¾ to 2 in. cal. | 12.50 | 115.00 |
| 12 to 14 ft. 2 to 21/4 in. cal. | | 140.00 |
| | | 190.00 |
| 12 to 14 ft. 2½ to 2½ in. cal | | |
| 2½ to 3 in. cal. | | 240.00 |
| 3 to 3½ in. cal. | 32.50 | |
| | | |
| POPULUS (Poplar) | | |
| · - · | | |
| Eugenei (Carolina) 75'-90' | 4 = - | 40.00 |
| 10 to 12 ft. 1¼ to 1½ in. cal. | | 40.00 |
| 12 to 14 ft. 1½ to 2 in. cal. | 7.00 | 60.00 |
| 14 to 15 ft. 2 to 2½ in. cal. | 10.00 | |
| 15 to 18 ft. 2½ to 3 in. cal. | | |
| | _0.00 | |
| Lasiocarpa (Chinese) 50'-60' | | |
| 8 to 10 ft | 3.25 | 28.00 |
| 10 to 12 ft. 1½ to 2 in. cal | 4.50 | 35.00 |
| 10 00 12 10, 172 00 2 III, Cal | 7,00 | 55.00 |
| Nigra italica (Lombardy) 60'-80 | , | |
| 5 to 6 ft | 1.75 | 12.00 |
| 6 to 8 ft | 2.00 | 18.00 |
| | | |
| 8 to 10 ft | 3.25 | 28.00 |
| 10 to 12 ft | 4.50 | 35.00 |
| 10 to 12 ft. heavy | 6.50 | 40.00 |
| 12 to 15 ft. 1½ to 2 in. cal | 7.50 | 65.00 |
| 00 40 40 4/2 00 a III. 001 | | 20.00 |
| The state of the s | | |

⁵ of a variety at 10 rate; 25 of a variety at 100 rate; 250 of a variety at 1,000 rate

| | | |
|--|---------------|------------------|
| OUTDOUG nelvetrie (Die Oele) 75/ | | Per 100 |
| QUERCUS palustris (Pin Oak) 75' 5 to 6 ft | 6.00 | |
| 6 to 8 ft | 8.50 | |
| 8 to 10 ft. 1 to 1¼ in. cal | 11.00 | |
| 8 to 10 ft. 1¼ to 1½ in. cal. | 16.00 | |
| 9 to 11 ft. 1½ to 1¾ in. cal. | 21.00 | |
| | 28.50 | |
| 11 to 12 ft. 2 to 2½ in. cal | | |
| SASSAFRAS variifolium (Common 30'-60' | Sassaf | ras) |
| 18 to 24 in | 2.50 | |
| 2 to 3 ft | 3.25 | |
| 3 to 4 ft | 4.50 | |
| 4 to 5 ft | 5.50 | |
| SORBUS aucuparia (European Mo | ountain- | ash) |
| 6 to 8 ft | 7.50 | |
| 8 to 10 ft | 9.00 | |
| TILIA americana (American Linde | • | 00' |
| 6 to 8 ft | 6.00 | |
| 8 to 10 ft | | |
| 8 to 10 ft. 1½ to 1½ in cal. | 11.50 | |
| 10 to 12 ft. 1½ to 1¾ in. cal. | | |
| 10 to 12 ft. 1¾ to 2 in. cal. | 20.00 | |
| ULMUS (Elm) | | .* |
| Americana (American) 80'-100' | | |
| 6 to 8 ft | 3.50 | 30.00 |
| / 1 | 6.00 | 50.00 |
| / = | 7.00 | 60.00 |
| 10 to 12 ft. 1½ to 1¾ in. cal. | | 72.00 |
| 10 to 12 ft. 1¾ to 2 in. cal. | | 100.00 |
| 12 to 14 ft. 2 to 2½ in. cal. 12 to 14 ft. 2½ to 2½ in. cal. | | 140.00 160.00 |
| $2\frac{1}{2}$ to 3 in. cal. | | 100.00 |
| 3 to 3½ in. cal. | | |
| $3\frac{1}{2}$ to 4 in. cal. | | |
| ^ ~ | 11.00 | 1 |
| Americana molini (Moline) 80'-10 | | |
| 8 to 10 ft. 1¼ to 1½ in. cal | | |
| 10 to 12 ft. 1½ to 1¾ in. cal. | 16.00 | |
| $12 	ext{ to } 14 	ext{ ft. } 1\frac{3}{4} 	ext{ to } 2 	ext{ in. cal.} $ | | |
| 2 00 2 /4 III. Odi. | 00.00 | |
| Foliacea suberosa (Corkbark Elm | * |) ' |
| 4 to 5 ft | 3.50 | |
| 5 to 6 ft | 3.75 | • |
| 6 to 8 ft | 5.75 7.50 | , |
| 0 10 10 11, | 7.00 | |
| Pumila (Chinese of Siberian) 50' | | |
| 5 to 6 ft | 5.00 | 40.00 |
| 6 to 8 ft | 7.25 | 60.00 |
| 8 to 10 ft. 1 to 1½ in. cal. 8 to 10 ft. 1½ to 1½ in. cal. | 9.00 10 E0 | 70.00 |
| 8 to 10 ft. $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal. 10 to 12 ft. $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal. | | |
| 10 to 12 ft. 1½ to 1¼ in. cal. | 17.00 | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | |
| $2\frac{1}{4}$ to $2\frac{1}{2}$ in. cal. | | |
| $2\frac{1}{2}$ to 3 in. cal. | 30.00 | |
| /2 55 5 500 | | |

Flowering Trees

| | 1000 | |
|---|---|----------------------------------|
| AMYGDALUS | Per 10 | Per 100 |
| Persica rubra (Pink Flowering | Peach) | 10'-12' |
| 2 to 3 ft. % in. cal | 2.50 | |
| 3 to 4 ft. 7/16 to 9/16 in. cal. | 21.00 | |
| | 4.00 | |
| and up | 5.00 | |
| 4 to 5 ft. 9/16 in. cal and up | 5.00 | |
| CLADRASTIS lutea (Yellow-wood) | 30'-50' | |
| 2 to 3 ft | 7.50 | |
| 3 to 4 ft | 10.00 | |
| 4 to 5 ft | 12.00 | |
| | 11.00 | |
| CORNUS (Dogwood) | 7. | |
| Florida rubra (Redflowering Do | | - 40 |
| 20'-30' | Each | |
| 18 to 24 in. B&B | .60 | 5.00 |
| 24 to 30 in. B&B | .70 | 6. 50 |
| 30 to 36 in. B&B | .85 | 7. 50 |
| 36 to 42 in. B&B | 1.25 | 11.50 |
| 42 to 48 in. B&B | 1.60 | 14.00 |
| 4 to 5 ft. B&B | 1.75 | 15.00 |
| 5 to 6 ft. B&B | 2.40 | 20.00 |
| 5 to 0 It. B&B | 2.10 | 20.00 |
| Kousa 16'-18'. Creamy-white flo | owers. | |
| CRATAEGUS (Hawthorn) | | |
| Coccinea (Thicket) 12'-15' | | |
| 18 to 24 in | .35 | |
| | .00 | |
| Crusgalli (Cockspur) 15'-20' | | |
| 18 to 24 in | .35 | |
| 2 to 3 ft | .50 | |
| Oxyacanthus pauli (Paul's Scrlet | Thorn) | |
| 15'-20' | , | |
| 3 to 4 ft | .60 | |
| 4 to 5 ft | | |
| 5 to 6 ft | | |
| | 1.10 | |
| Prunifolia (Plumleaf) 25'-30' | ~ | |
| 18 to 24 in | .35 | |
| 2 to 3 ft | .50 | |
| MAGNOLIA tripetala (Umbrella) | 30'-40' | |
| 2 to 3 ft | | |
| | | D 100 |
| MALUS (Crab) | Per 10 | Per 100 |
| Atrosanguinea (Carmine) 12'-15' | | |
| 3 to 4 ft | 4.00 | 35.00 |
| | | 45 00 |
| 4 to 5 ft | 5.00 | 45.00 |
| 4 to 5 ft | 5.00 6.00 | 55.00 |
| 5 to 6 ft | | |
| 5 'to 6 ft | 6.00 | 55.00 |
| 5 'to 6 ft | 6.00 2.50 | 55.00 20.00 |
| 5 to 6 ft | 6.00 2.50 4.00 | 55.00 20.00 30.00 |
| 5 'to 6 ft. Ioensis plena (Bechtel's) 12'-16' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. | 6.00 2.50 | 55.00 20.00 |
| 5 'to 6 ft | 6.00 2.50 4.00 6.50 | 55.00 20.00 30.00 60.00 |
| 5 'to 6 ft. Ioensis plena (Bechtel's) 12'-16' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. PRUNUS Cerasifera pissardi (Purpleleaf P | 6.00 2.50 4.00 6.50 lum) 12 | 55.00 20.00 30.00 60.00 |
| 5 'to 6 ft. Ioensis plena (Bechtel's) 12'-16' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. PRUNUS Cerasifera pissardi (Purpleleaf P 3 to 4 ft. | 6.00 2.50 4.00 6.50 lum) 12 2.25 | 55.00 20.00 30.00 60.00 |
| 5 'to 6 ft. Ioensis plena (Bechtel's) 12'-16' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. PRUNUS Cerasifera pissardi (Purpleleaf P 3 to 4 ft. 4 to 5 ft. | 6.00 2.50 4.00 6.50 lum) 12 2.25 3.50 | 55.00 20.00 30.00 60.00 |
| 5 'to 6 ft. Ioensis plena (Bechtel's) 12'-16' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. PRUNUS Cerasifera pissardi (Purpleleaf P 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. | 6.00 2.50 4.00 6.50 lum) 12 2.25 3.50 4.50 | 55.00 20.00 30.00 60.00 |
| 5 'to 6 ft. Ioensis plena (Bechtel's) 12'-16' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. PRUNUS Cerasifera pissardi (Purpleleaf P 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Tomentosa (Nanking Cherry) 6'- | 6.00 2.50 4.00 6.50 lum) 12 2.25 3.50 4.50 8' | 55.00 20.00 30.00 60.00 |
| 5 'to 6 ft. Ioensis plena (Bechtel's) 12'-16' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. PRUNUS Cerasifera pissardi (Purpleleaf P 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Tomentosa (Nanking Cherry) 6'- 18 to 24 in. | 6.00 2.50 4.00 6.50 lum) 12 2.25 3.50 4.50 8' 2.00 | 55.00 20.00 30.00 60.00 |
| 5 'to 6 ft. Ioensis plena (Bechtel's) 12'-16' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. PRUNUS Cerasifera pissardi (Purpleleaf P 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Tomentosa (Nanking Cherry) 6'- | 6.00 2.50 4.00 6.50 lum) 12 2.25 3.50 4.50 8' | 55.00 20.00 30.00 60.00 |
| 5 'to 6 ft. Ioensis plena (Bechtel's) 12'-16' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. PRUNUS Cerasifera pissardi (Purpleleaf P 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Tomentosa (Nanking Cherry) 6'- 18 to 24 in. 2 to 3 ft. | 6.00 2.50 4.00 6.50 lum) 12 2.25 3.50 4.50 8' 2.00 2.50 | 55.00 20.00 30.00 60.00 |
| 5 'to 6 ft. Ioensis plena (Bechtel's) 12'-16' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. PRUNUS Cerasifera pissardi (Purpleleaf P 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Tomentosa (Nanking Cherry) 6'- 18 to 24 in. | 6.00 2.50 4.00 6.50 lum) 12 2.25 3.50 4.50 8' 2.00 2.50 orm) 7' | 55.00 20.00 30.00 60.00 |
| 5 'to 6 ft. Ioensis plena (Bechtel's) 12'-16' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. PRUNUS Cerasifera pissardi (Purpleleaf Pasto 4 ft. 4 to 5 ft. 5 to 6 ft. Tomentosa (Nanking Cherry) 6'-18 to 24 in. 2 to 3 ft. Triloba (Flowering Plum, tree fe | 6.00 2.50 4.00 6.50 lum) 12 2.25 3.50 4.50 8' 2.00 2.50 orm) 7' 3.00 | 55.00 20.00 30.00 60.00 |

Per 10

Nut Trees

| Per 10 |
|---|
| CORYLUS avellana (Filbert) 10'-15" |
| 2 to 3 ft 3.00 3 to 4 ft 4.50 |
| 4 to 5 ft 6.00 |
| |
| JUGLANS |
| Nigra (Black Walnut) 80'-100' 3 to 4 ft 4.00 |
| 4 to 5 ft |
| 5 to 6 ft G.00 |
| Sieboldiana (Japanese Walnut) 50'-60' |
| 5 to 6 ft 6.00 |
| 6 to 8 ft 7.50 |
| 8 to 10 ft 9.00 |
| \ |
| Deciduous Shrubs |
| |
| Per 10 Per 100 |
| ACANTHOPANAX pentaphyllum (Fiveleaf |
| Aralia) 7'-8' 18 to 24 in |
| 2 to 3 ft 2.00 |
| ATTUATA (Page of Sharen) |
| ALTHAEA (Rose-of-Sharon) |
| Amplissima (Double red) 10'-12' 18 to 24 in |
| 2 to 3 ft 1.50 |
| |
| Ardens (Double purple) 10'-12' Per 10 18 to 24 in |
| 2 to 3 ft 1.50 |
| Boule de feu (Semi-double) 10'-12' |
| 18 to 24 in 1.00 |
| 2 to 3 ft 1.50 |
| Jeanne d'Arc (Double white) 10'-12' |
| 18 to 24 in 1.00 |
| 2 to 3 ft 1.50 |
| Peaone flore (White with red center) 10'-12' |
| 18 to 24 in 1.25 |
| 2 to 3 ft 1.50 |
| 3 to 4 ft 2.00 |
| AMORPHA fruticosa (Indigobush) 8'-10' |
| 2 to 3 ft 1.25 10.00 |
| 3 to 4 ft |
| 5 to 6 ft |
| |
| ARONIA melanocarpa (Black Chokeberry) 8'-10' 12 to 18 in |
| 12 to 18 In |
| 2 to 3 ft 2.50 18.00 |
| 3 to 4 ft 3.50 22.50 |
| BERBERIS (Barberry) |
| thunbergi (Japanese Barberry) |
| The 2 yr. Lining Out seedlings Per 1000 |
| 5,000-2 yr. sdlgs. 3 to 6 in 6.00 |
| 6,000—2 yr. sdlgs. 6 to 9 in 9.00 |
| 12,000—2 yr. sdlgs. 9 to 12 in 15.00 |

| Thunbergi (Japanese) 5'-7' | Per 100 | Per 1000 |
|--------------------------------------|---------------|----------------|
| 8 to 12 in. 2 yr | 4.00 | |
| 12 to 18 in. 2 yr | | 40.00 |
| 10 to 10 in. 2 yr | 7.00 | |
| 18 to 24 in. 3 yr | | |
| 24 to 30 in. 3 yr | 12. 50 | |
| Ask for Special Letter Prices of | n Barbe | erry. |
| Thunbergi atropurpurea (Red L | , | 6 ' |
| -Rooted Cuttings, not Seedlings- | | Per 100 |
| 1 yr. 8 to 12 in | .70 | 6.00 |
| 3 yr strong hughy. | | |
| 10 to 12 in | .80 | 7.00 |
| 12 to 15 in | 1.00 | 8.50 |
| 15 to 18 in | 1.25 | 10.00 |
| 18 to 24 in | 1.50 | |
| 24 to 30 in | 2.00 | |
| | | |
| 30 to 36 in | 3.00 | 27. 50 |
| Thunbergi minor (Dwarf or Box 2'-3' | Barbei | ry) |
| 9 to 12 in | 1.00 | 8.00 |
| 12 to 15 in | 1.50 | 12.50 |
| 15 to 18 in | 2.00 | 17.50 |
| 18 to 24 in | 2.25 | 20.00 |
| \ | | 20.00 |
| Wilsonae (Wilson Barberry) 5'- | | 4 |
| 12 to 15 in | 1.75 | 15.00 |
| BUDDLEIA davidi magnifica (Bu | tterflybu | ısh) |
| 18 to 24 in. Medium | 1.75 | 15.00 |
| | | |
| 2 to 3 ft. 2 yr. No. 1 | 2.25 | |
| 3 to 4 ft. 3 yr. Heavy | 3.00 | 25. 00 |
| CALLICARPA purpurea (Chinese | Beautyl | erry) |
| 4'-5' 2 to 3 ft | 1.80 | 15.00 |
| 3 to 4 ft | | |
| CALYCANTHUS floridus (Sweets | hruh) 6 | 3'-8 ' |
| 12 to 18 in | 1.00 | 8.00 |
| | | 9.00 |
| 18 to 24 in | | |
| 2 to 3 ft | | 13.5 0 |
| 3 to 4 ft | 2.75 | |
| CARYOPTERIS—See Spiraea | | |
| CEPHALANTHUS occidentalis (B | uttonbu | sh) 8'-10' |
| 18 to 24 in | | |
| 2 to 3 ft | | |
| 3 to 4 ft | | |
| | | |
| CHIONANTHUS virginica (White 15'-18' | e Fringe | et ree) |
| 12 to 18 in | 2.50 | |
| 18 to 24 in | 3.25 | |
| COLUTEA arborescens (Common | Bladde | r-senna) |
| 10'-12' | | • |
| 2 to 3 ft | 2.00 | |
| 3 to 4 ft | 2.50 | |
| CORNUS (Dogwood) | | |
| Amomum (Silky) 8'-10" | | |
| 18 to 24 in | 1.05 | 10.00 |
| | 1.25 | 10.00 |
| 2 to 3 ft | 1.50 | 12.00 |
| 3 to 4 ft | 1.75 | 15. 00 |
| | | |

| Baileyi (Bailey) 8'-10' 2 to 3 ft | | Per 100 12.0 0 |
|--|----------------|--------------------------|
| Sanguinea (Bloodtwig) 10'-12" | | |
| 12 to 18 in | 1.00 | 8.00 |
| 18 to 24 in | 1.50 | |
| 2 to 3 ft | 1.75 | 14.50 |
| 3 to 4 ft | 2.75 | |
| 0 to ± 1t | 2.10 | 22.00 |
| Stolonifera (Red Osier) 8'-10' | | |
| 18 to 24 in | 1.00 | 8.00 |
| 2 to 3 ft | 1.25 | 10.00 |
| 3 to 4 ft | 1.75 | 14.50 |
| Stolonifore flavinames (Caldenter | -:> 64.6 | , |
| Stolonifera flaviramea (Goldenty | | |
| 18 to 24 in | 1.25 | |
| 2 to 3 ft | 1.50 | |
| 3 to 4 ft | 2.40 | 20.00 |
| CORONILLA emerus (Scorpion-sen | na) 7'-9 |)' |
| | 1.50 | |
| | | |
| CRATAEGUS—See Flowering Tree | es. | |
| CYDONIA japonica (Japanese Qu | ince) 3' | -4' |
| 8 to 12 in | .90 | 7.00 |
| 12 to 18 in | 1.25 | 10.00 |
| 18 to 24 in | .1.50 | 12.00 |
| 2 to 3 ft | 2.00 | 17.50 |
| CYTISUS scoparius (Scotch Broom | | Per 10 |
| 2 to 3 ft. B&B | .50 | 4.50 |
| 3 to 4 ft. B&B | .60 | 5.50 |
| 4 to 5 ft. B&B | .85 | 6.50 |
| DEUTZIA | | |
| | Don 10 | Don 100 |
| Gracilis (Slender) 3'-4' | | Per 100 |
| 8 to 12 in | .70 | |
| 12 to 15 in | .90 | 8.00 |
| 15 to 18 in | 1.10 | 10.00 |
| Gracilis rosea (Rose Panicle) 3'-4 | · | |
| 15 to 18 in | 1.75 | |
| 18 to 24 in | 2.00 | |
| Lemoinei (Lemoine Deutzia) 4'-5 | 5 ′ | |
| 12 to 18 in | 1.00 | |
| 18 to 24 in | 1.20 | • |
| 2 to 2½ ft | 1.50 | • //////// |
| 2½ to 3 ft | 2.00 | |
| , <u>-</u> | | |
| Scabra candidissima (Snowflake) | | 7 00 |
| 18 to 24 in | .80 | 7. 00 |
| 2 to $2\frac{1}{2}$ ft | 1.50 | 10 50 |
| 3 to 4 ft | 1.50 | 13.50 |
| 4 to 5 ft | 2.00 | 17.50 |
| 5 to 6 ft | $2.50 \\ 3.50$ | |
| | | 00.00 |
| Scabra crenata (Double Pink) 6' | | |
| 18 to 24 in | .80 | 7.00 |
| 2 to 3 ft | 1.10 | 9.00 |
| 3 to 4 ft | 1.50 | 13.50 |
| 4 to 5 ft | 2.00 | 17.50 |
| 5 to 6 ft | 2.50 | 20.00 |

| WESIMINGIEN, MANILAND | | 10 |
|--|--------------|--------------|
| Carlina Contain of (Table) (100) | D 10 | D 100 |
| Scabra fortunei (Fortune) 6'-8' | | |
| 18 to 24 in | .80 | 7.00 |
| 2 to 3 ft | 1.10 | 9.00 |
| 3 to 4 ft | 1.50 | 13.50 |
| 4 to 5 ft | 2.00 | 17.50 |
| 5 to 6 ft | 2.50 | 20.00 |
| 6 to 7 ft | 3.50 | 30.00 |
| Scabra Pride of Rochester (Pink) | 8'-10' | |
| 18 to 24 in | .80 | 7.00 |
| 2 to 3 ft | 1.10 | 9.00 |
| 3 to 4 ft | 1.50 | 13.50 |
| 4 to 5 ft | 2.00 | 17.50 |
| 5 to 6 ft | 2.50 | 20.00 |
| 3 10 3 211 11111111111111111111111111111 | | 20100 |
| ELAEAGNUS angustifolia (Russia | n Olive |) 15'-18' |
| 2 to 3 ft | 2.25 | |
| 3 to 4 ft | 2.50 | |
| 4 to 5 ft | 3.25 | |
| 5 to 6 ft | 4.50 | |
| | | |
| EUONYMUS | | |
| Alatus (Winged) 8'-10' | | |
| 18 to 24 in | 2.00 | |
| 2 to 3 ft | 2.25 | |
| 3 to 4 ft | 3.00 | |
| A | | |
| Americanus (Brook) 7"-8' | 0.00 | |
| 18 to 24 in | 2.00 | |
| 2 to 3 ft | 2.50 | |
| 3 to 4 ft | 3.50 | |
| 4 to 5 ft | 5.00 | , |
| Atropurpureus (Wahoo) 20'-25' | | |
| 18 to 24 in | 2.00 | |
| 2 to 3 ft | 3.00 | |
| 3 to 4 ft | 3.50 | |
| 4 to 5 ft | 4.25 | |
| Thursday (Flynning Drowning all and | -1.\ 101 | 7 <i>01</i> |
| Europaeus (European Burningbus | | 10. |
| 12 to 18 in | 1.50 | |
| 18 to 24 in | 1.75 | |
| 2 to 3 ft | 2.00 | |
| 3 to 4 ft | 2.50 | |
| 4 to 5 ft | 3.75 | |
| 5 to 6 ft | 5.50 | |
| EXOCHORDA grandiflora (Pearlbu | sh) 6'-9 | , |
| 18 to 24 in | • | 7.00 |
| 2 to 3 ft | 1.10 | 9.00 |
| 3 to 4 ft | 1.50 | 13.50 |
| | | |
| FORSYTHIA | | |
| Intermedia (Border) 6'-9' | | 9 |
| 18 to 24 in | .80 | 6.00 |
| 2 to 3 ft | 1.25 | 10.00 |
| 3 to 4 ft | 1. 50 | 13.50 |
| 4 to 5 ft | 1.70 | 16.00 |
| 5 to 6 ft | 2.00 | 17.50 |
| Intermedia spectabilis | | |
| 12 to 18 in | .70 | 5.00 |
| 18 to 24 in | .80 | 6.00 |
| 2 to 3 ft | 1.25 | 10.00 |
| 3 to 4 ft | 1.60 | 13.50 |
| | | |

| 194 | | |
|--|---|----------------|
| • | Per 10 | Per 100 |
| Suspensa fortunei (Fortune) 6'-8' | | |
| 18 to 24 in | .80 1.25 | 6.00 10.00 |
| 3 to 4 ft | 1.50 | 13.50 |
| 4 to 5 ft | 1.70 | 16.00 |
| Suspensa (Weeping Forsythia) 6 | '-8 ' | |
| 2 to 3 ft | 1.50 | |
| HAMAMELIS virginiana (Common | Witch | -hazel) |
| 12'-16' 18 to 24 in | 1.50 | |
| | 2.00 | |
| 3 to 4 ft | 3.00 | |
| HIBISCUS syriacus—See Althaea | | |
| HYDRANGEA | | |
| Arborescens grandiflora (Snowhil | 1) 4'-5' | |
| 12 to 18 in | .80 | 7.00 |
| 18 to 24 in | 1.25 | |
| 2 to 3 ft | 1.50 | 12.00 |
| Paniculata grandiflora (Peegee) | 8′-10′ | |
| 12 to 18 in | .80 | 7.00 |
| 18 to 24 in | $1.10 \\ 1.40$ | 9.00 12.00 |
| 2 to 3 ft | 2.00 | 15.00 |
| | | 20.00 |
| KERRIA japonica flore-pleno (Double Globeflower) 4'-5' | | |
| 12 to 18 in | 2.50 | |
| 18 to 24 in | 4.50 | |
| 2 to 3 ft | 6.50 | |
| KOLKWITZIA amabilis (Beautybu | ish) 6'-8 | 3' |
| 18 to 24 in | 2.00 | 18.00 |
| 2 to 3 ft | 2.25 | 20.00 |
| LESPEDEZA | | ~ |
| Bicolor (Shrub Bushclover) 8'-10' | | 40 -0 |
| 2 to 3 ft | $\begin{array}{c} 1.50 \\ 2.00 \end{array}$ | 13.50 |
| 4 to 5 ft | 2.50 | |
| 5 to 6 ft | 3.00 | |
| Formosa (Purple Bushclover) 6'- | 7' | |
| 3 to 4 ft. 3 yr. No. 1 | | |
| 4 to 5 ft. 4 yr. No. 1 | 3.25 | |
| LIGUSTRUM (Privet) | Per 100 | Per 1000 |
| Amurense (Amur River North) 1 | | |
| | 2.50 | |
| 18 to 24 in | $3.00 \\ 4.50$ | 24.00 35.00 |
| 3 to 4 ft | 6.00 | 50.00 |
| 4 to 5 ft | 10.00 | |
| 5 to 6 ft | 15.00 | |
| Ibota 8'-10' | | |
| 18 to 24 in | | |
| 2 to 3 ft | | |
| | 1.00 | 0.00 |
| Ibota regelianum (Regel) 4'-6' 3 yr. 12 to 18 in | 1.00 | 7.50 |
| 3 yr. 18 to 24 in. heavy | 1.25 · | |
| 3 yr. 2 to $2\frac{1}{2}$ ft. heavy | 1.50 | 12.50 |
| $3 \text{ yr. } 2\frac{1}{2} \text{ to } 3 \text{ ft. heavy } \dots$ | 2.00 | 17.50 |

| * | | |
|-----------------------------------|----------------|-------------------------|
| Ovalifolium (California) 10'-15' | | |
| All of our 2, 3, and 4 yr. plants | | |
| | Per 100 F | |
| 2 yr. 8 to 12 in. 2 to 3 branches | 1.25 | 8.00 |
| 2 yr. 12 to 18 in. 3 branches | | |
| and up | 1.75 | 12.50 |
| 2 yr. 18 to 24 in. 4 branches | 0.50 | 45 50 |
| and up, extra heavy | 2.50 | 17.50 |
| 3 yr. 2 to 3 ft. 4 branches | 4.00 | 20.00 |
| and up | 4.00 | 30.00 |
| specimens | 5.00 | 40.00 |
| 4 yr. 3 to 4 ft. 6 branches and | 0.00 | 10.00 |
| up, extra heavy | 6.50 | 50.00 |
| 5 yr. 4 to 5 ft. extra heavy | 9.00 | 75.00 |
| 5 yr 5 to 6 ft. extra heavy | | |
| specimen | 25.00 | |
| Special order on Car Lot or m | ore. | |
| | Per 10 | Don 100 |
| Ovalifolium variegatum (Golden | | |
| 8'-10' | Californ | iaj |
| 12 to 18 in | 1.25 | 10.00 |
| 18 to 24 in | 2.00 | 15.00 |
| 24 or 30 in | 2.50 | 20.00 |
| | | |
| LONICERA (Honeysuckle) | | • |
| Fragrantissima (Winter) 6'-8' | | |
| 18 to 24 in | 1.50 | • |
| 2 to 3 ft | 1.75 | |
| 3 to 4 ft | 2.50 | |
| Maacki podocarpa (Late) 9'-12' | | |
| 2 to 3 ft | 2.00 | |
| Morrowi (Morrow) 7'-8' | | |
| 2 to 3 ft | 1.25 | 10.00 |
| 3 to 4 ft | 1.50 | 13.50 |
| 4 to 5 ft | 2.00 | 17.50 |
| 5 to 6 ft | 2.50 | |
| Syringantha (Lilac Honeysuckle) |) 4'-5' | |
| 18 to 24 in | 3.25 | |
| 2 to 3 ft | 4.00 | |
| Tatarica alba (White Tatarian) | 8'-10' | |
| 18 to 24 in | 1.20 | 7.00 |
| 2 to 3 ft | 1.25 | 10.00 |
| 3 to 4 ft | 1.50 | 13.50 |
| 4 to 5 ft | 2.00 | 17.50 |
| 5 to 6 ft | 2.50 | 22.50 |
| Tatarica siberica (Red Tatarian |) 8'-10' | |
| 18 to 24 in | 1.20 | 7.00 |
| 2 to 3 ft | 1.25 | 10.00 |
| 3 to 4 ft | 1.75 | 15.00 |
| 4 to 5 ft | 2.50 | 20.00 |
| • | | |
| MYRICA cerifera (Southern Waxn | | 5 ′ -30 ′ |
| 12 to 18 in | | |
| 18 to 24 in | 3.00 | |
| DITT A DITT DITTE (AC. 1 | | |
| PHILADELPHUS (Mockorange) | • • • | |
| Grandiflorus (Big Scentless) 8'- | | 40.00 |
| 2 to 3 ft | 1.25 | 10.00 |
| 3 to 4 ft | 1.50 . 2.00 | 13.50 |
| 4 to 5 ft | . 2.00 2.50 | 17.50 |
| δ ή Ο Α Τρ | 4.00 | |

| | · · · · · · · · · · · · · · · · · · · | |
|--|---------------------------------------|----------------|
| Lemoinei (Lemoine) 6'-8' 18 to 24 in | 1.50 | Per 100 |
| | 2.00 | |
| POTENTILLA (Cinquefoil) | | |
| Fruticosa (Shrubby) 3'-4' 12 to 18 in | | |
| Fruticosa veitchi (Veitch) 3'-4' 15 to 18 in | 2.00 | |
| RHAMNUS caroliniana (Carolina 25'-30' | ${ m Bucktho}$ | rn) |
| 2 to 3 ft | 1.50 2.50 3.00 4.00 | , |
| RHODOTYPOS kerrioides (Jetbeac | 1) 4'-5' | |
| 12 to 18 in | .75 1.00 1.50 1.75 | |
| RHUS (Sumac) | | |
| Canadensis (Fragrant) 4'-5' | | |
| 18 to 24 in | $1.75 \\ 2.50$ | |
| Cotinus (Common Smoketree) 12 | '-15' | |
| 2 to 3 ft | 3.00 | |
| 3 to 4 ft | 4.00 6.00 | ~ |
| ROBINIA hispida (Rose-acacia) 5' 18 to 24 in | 2.00 3.00 | |
| RUBUS odoratus (Flowering Rasp | berry) 5 | 5'-7' |
| 18 to 24 in | 2.00 2.50 | |
| SORBARIA sorbifolia (Ural False | Spirea) | 4'-6' |
| 2 to 3 ft | 1.50 | |
| 3 to 4 ft | $2.00 \\ 2.50$ | |
| SPIREA (Spirea) | | |
| Anthony Waterer 3'-4' | 1.00 | |
| 12 to 18 in | 1.00 1.50 | 7.00 12.00 |
| 2 to 2½ ft | 2.00 | 15.00 |
| Arguta (Garland) 4'-6' 2 to 3 ft | 2.00 | |
| Billiardi alba 4'-6' | | |
| 18 to 24 in | 1.00 | 8.00 |
| 2 to 3 ft | $1.25 \\ 1.50$ | 10.00 12.00 |
| 4 to 5 ft | 2.00 | 17.50 |
| Billiardi rosea 4'-6' | 1.00 | |
| 18 to 24 in | $1.00 \\ 1.25$ | 8.00 10.00 |
| 3 to 4 ft | 1.50 2.50 | 12.00 20.00 |
| | | |

| The state of the s | | |
|--|----------------|---|
| Callosa alba (Japanese) 5'-6' | Par 10 | Per 100 |
| · - | 1.50 | 12.50 |
| 18 to 24 in | 2.00 | 12.50 17.50 |
| 2 to 3 ft | 2.50 | 20.00 |
| 5 10 4 11 | 4.00 | 20.00 |
| Caryopteris incana (Blue Spirea) | 3 '-4' | |
| 12 to 18 in | 2.00 | 15.00 |
| 18 to 24 in | 3.00 | 20.00 |
| 2 to 3 ft | 3.50 | 30.00 |
| Omalicalia (D) | \ 01 | 101 |
| Opulifolia (Physocarpus opulifoli | | |
| 3 to 4 ft | 1.50 | 12.50 |
| 4 to 5 ft | $2.00 \\ 2.50$ | 17.50 20.00 |
| 5 to 6 ft | 2.50 | 20.00 |
| Opulifolia aurea (Golden Ninebar | k) 8'-1(|) ' |
| 2 to 3 ft | 1.25 | 10.00 |
| 3 to 4 ft | 1.50 | 12.50 |
| 4 to 5 ft | 2.50 | 20.00 |
| 5 to 6 ft | 3.00 | 25.00 |
| | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |
| Reevesiana (Reeves) 6'-8' | | |
| 18 to 24 in | 1.25 | 10.00 |
| 2 to 3 ft | 1.5 0 | 13.50 |
| 3 to 4 ft | 1.75 | 15.00 |
| 4 to 5 ft | 2.00 | 17.50 |
| 5 to 6 ft | 3.00 | |
| Thunbergi (Thunberg) 4'-5' | | |
| 18 to 24 in | .80 | 7.00 |
| 2 to 2½ ft | 1.35 | 12.00 |
| 2½ to 3 ft | 1.50 | 14.00 |
| 3 to 4 ft | 2.50 | 20.00 |
| Ministration (T7) MI OI | | |
| Trichocarpa (Korean) 5'-6' | | 40 40 |
| 2 to 3 ft | 1.50 | 13.50 |
| 3 to 4 ft | 2.00 | 15.00 |
| Vanhouttei (Vanhoutte) 6'-9' | | |
| 18 to 24 in | .75 | 5.00 |
| 2 to 3 ft | 1.00 | |
| 3 to 4 ft | 1.25 | 10.00 |
| | | |
| SYMPHORICARPOS | | |
| Racemosus (White Snowberry)4' | ·6 ′ | |
| 18 to 24 in | .80 | 6.00 |
| 2 to 3 ft | 1.25 | 10.00 |
| 3 to 4 ft | 1.50 | 12.50 |
| Training (C. II.) (1991 | | |
| Vulgaris (Coralberry) 4'-5' | | |
| 18 to 24 in | .80 | 6.00 |
| 2 to 3 ft | 1.25 | 10.00 |
| 3 to 4 ft | 1. 50 | 12.50 |
| CITED TATO A CT 12 | | |
| SYRINGA (Lilac) | | |
| Villosa (Late) 7'-8' | | |
| 18 to 24 in | 1.00 | 8.00 |
| 2 to 3 ft | 1.5 0 | 12.50 |
| Vulgaria (Common Durale) 10/15 | , | • |
| Vulgaris (Common Purple) 12'-15 | | 7 00 |
| 18 to 24 in | .80 | 7.00 10.00 |
| 4 00 0 Ib | 1.25 | 10.00 |

| | Per 10 | Per 100 |
|--|--------------|-----------|
| Vulgaris FRENCH LILACS—Nai | med Va | rieties |
| 6'-12' | | |
| Charles Baltet—single, pinkish | lavende | er. |
| Compte de Kerchove—single, m | | |
| Louis Henry—single, dark blue | | |
| Michel Buchner-double, pale p | ink. | |
| Othello-single, purplish red. | | |
| President Grevy—double, blue- | violet to | soft |
| pink. | | , |
| President Loubet—double, med | | let. |
| President Viger—double, blue- Rene Jarry-Desloges—double, b | | T7.0 |
| Souv. de Louis Spaeth—single, | | |
| 18 to 24 in | | eu. |
| 2 to 3 ft | 2.00 3.00 | |
| 2 10 5 11, | 3.00 | • |
| The following varieties we can | supply | in larg- |
| er size than above quoted: | | |
| Compte de Kerchove-single, m | auve pi | ink. |
| Emil Lemoine—double, rosy lil | | |
| Michel Buchner-double, pale | | |
| Othello—single, purplish red. | _ | |
| 3 to 4 ft | 4.00 | |
| | | |
| (We can also supply a few value of the suppl | | |
| larger sizes. Please ask for | our quo | tations.) |
| TAMARIX africana (African Tama | arix) 19 | 2'-14' |
| 2 to 3 ft | 1.25 | 10.00 |
| 3 to 4 ft | 2.00 | 15.00 |
| 4 to 5 ft | 2.50 | 20.00 |
| | | |
| VIBURNUM | | |
| Americanum (American Cranberr | ybush) | 9'-12' |
| 18 to 24 in | 1.25 | |
| 2 to 3 ft | 1.50 | |
| Dentature (Armonical) 10/10/ | | |
| Dentatum (Arrowood) 10'-12' 18 to 24 in | 1.25 | |
| 2 to 3 ft | 1.60 | 15.50 |
| 3 to 4 ft | 2.50 | 10.00 |
| | 2.00 | |
| Lantana (Wayfaring-tree) 14'-16 | , | |
| 18 to 24 in | 1.50 | |
| 2 to 3 ft | 2.00 | |
| | | 4 |
| Lentago (Nannyberry) 18'-20' | | |
| 18 to 24 in | 1.50 | |
| 2 to 3 ft | 2.00 | |
| 3 to 4 ft | 2.50 | |
| Molle (Kentucky) 10'-12' | | |
| 18 to 24 in | 1.50 | |
| 2 to 3 ft | 2.00 | |
| | | |
| Opulus sterile (Common Snowba | | |
| 12 to 18 in | .80 | 7.00 |
| 18 to 24 in | 1.25 | • |
| 2 to 3 ft | 1.50 | 12.50 |
| Tomontosum nliestum (Tononese | Snowh | 011) |
| Tomentosum plicatum (Japanese 7'-8' | OHOMD | a11) |
| 18 to 24 in | 1.75 | 15.00 |
| 2 to 3 ft | 2.50 | 20.00 |

| VITEX negundo incisa (Cutleaf Ch | aste-tre | e) |
|----------------------------------|----------|---------------|
| 12'-15' | Per 10 | Per 100 |
| 2 to 3 ft | 2.25 | 20.00 |
| 3 to 4 ft | 3.00 | 25.0 0 |
| 4_to 5 ft | 3.75 | 30.00 |
| WEIGELA | | |
| Eva Rathke (Redflowered) 4'-5' | | |
| 12 to 18 in | 1.50 | 12.50 |
| 18 to 24 in | 2.00 | 18.00 |
| 2 to 3 ft | 2.50 | 22.50 |
| 3 to 4 ft | 3.50 | 30.0 0 |
| Rosea (Pinkflowered) 6'-8' | • | |
| 18 to 24 in | 1.00 | 8.00 |
| 2 to 3 ft | 1.50 | 12.00 |
| 3 to 4 ft | 2.00 | 15.00 |
| 4 to 5 ft | 3.50 | 30.00 |

Roses

For Spring 1935 Delivery

We will have a fine assortment of sturdy specimen 2 yr. No. 1 roses, either dormant or potted in 7 and 8 inch pots.

| | $\mathrm{Per}\ 10$ | Per 100 |
|---------------------|--------------------|---------|
| Dormant 2 yr. No. 1 | 2.50 | 22.50 |
| Potted 2 yr. No. 1 | 3.50 | 30.00 |

Varieties

Betty-copper, rose-gold.

Briarcliff—deep rose-pink.

Chas. K. Douglas-flaming scarlet.

Dame Edith Helen—pure glowing pink.

Duchess of Wellington—saffron yellow.

E. G. Hill—dazzling scarlet.

Etoile de France—crimson velvet.

Feu Joseph Looymans—vivid yellow, shaded apricot.

Francis Scott Key—crimson.

General MacArthur—crimson scarlet.

Golden Emblem—very fine yellow.
Golden Ophelia—bright golden yellow.

Golden Pernet—rich golden yellow.

J. J. L. Mock—clear pink.

Joanna Hill-clear yellow.

Killarney—pink.

Lady Margaret Stewart-orange.

Los Angeles—flame pink shaded with gold at base of the petals.

Mme. Edouard Herriot-bright orange-pink shaded gold.

Mrs. A. R. Barraclough—carmine pink.

Mrs. Chas. Bell—soft pink.

Mrs. Henry Bowles—piercing pink.
Mrs. Henry Morse—very handsome soft fleshcream suffused with vermilion.

President Hoover-orange and pink.

Rev. F. Page Roberts-yellow.

Souv. de Claudius Pernet—sun yellow. Souv. de Georges Pernet—brick-red buds.

Sunburst-orange copper and golden yellow.

Talisman—shadings of gold, apricot, yellow and deep pink or old rose.

Willowmere—coral red suffused with carmine.

20'-25'

1.25

1.60

10.00

14.00

| POLYANTHA or Baby Roses Per 10 |
|--|
| Dormant 2 yr. No. 1 2.50 Potted 2 yr. No. 1 3.50 |
| Potted 2 yr. No. 1 3.50 Varieties |
| George Elger—copperish golden-yellow to pale |
| yellow. |
| Golden Salmon—Reddish orange. Ideal—Double pearl white flowers. |
| RAMBLER OR CLIMBING ROSES |
| Dormant 2 yr. No. 1 Per 10 Per 100 15.00 |
| Varieties |
| Dorothy Perkins—clusters of soft shell pink flowers. |
| Excelsa—very vigorous, an improved crimson Rambler. |
| Gardenia—rich creamy yellow flowers. |
| Wichuraiana—the Korean wild rose, white flowers in summer and handsome red fruits early autumn; an ideal ground cover. |
| ROSE SPECIES Each Per 10 Per 100 |
| Dormant 2 yr. No. 140 3.50 30.00 |
| Blanda—Meadow Rose, single rose-pink frag- rangt flowers, May and June, followed by glittering red fruit. 4'-6' |
| Hugonis—Golden Rose of China, fragrant saucerlike flowers. 5'-6' |
| Palustra (Carolina)—Swamp Rose, pink flowers. 6'-8' |
| Rubiginosa—Sweetbrier, small pink flowers. 5'-6' |
| Rubrifolia—Redleaf Rose, handsome foliage and tiny pink flowers. 5'-6' |
| Rugosa—Japanese Rose, large pink flowers and attractive fruit. 4'-6' |
| Setigera—Prairie Rose, bright pink flowers valuable on rocky slopes and wasteland. 5'-6 |
| Climbing Vines |
| Per 10 Per 100 |
| AKEBIA quinata (Fiveleaf) 15'-20' No. 1 from field |
| AMPELOPSIS |
| Heterophylla (Porcelain) 30'-40' 2 yr. No. 1 |
| Quinquefolia (Virginia Creeper) 30'-50" 2 yr. No. 1 |
| CELASTRUS scandens (American Bittersweet) |

| CLEMATIS | Per 10 | Per 100 |
|---|----------------------------|-----------------------|
| Montana grandiflora 20'-25' 3 in. pots | 1.75 | 15.00 |
| Paniculata (Sweet Autumn) 20' 2 yr. No. 1 | | 12.00 |
| Viticella (Italian) 12'-15' 2 yr. No. 1 | 1.25 | 10.00 |
| EUONYMUS | | |
| Radicans (Wintercreeper) 12'-16 12 to 15 in. B&B 15 to 18 in. B&B | 2.00 2.50 | |
| Radicans acutus (Sharpleaf) 6'-1 12 to 15 in. 3 yr. B&B | 12 ′ 2.00 | |
| Radicans coloratus (Redleaved) 12 to 15 in. 3 yr. B&B | 6'-10' 2.00 | |
| Radicans vegetus (Bigleaf) 12*-1 12 to 15 in. B&B 15 to 18 in. B&B 18 to 24 in. B&B | 5' 2.50 2.75 3.50 | |
| HEDERA (Ivy) | | |
| Baltica (Hardy Baltic) 25'-30" 21/4 in. pots | .90 2.50 | 7.00 18.00 |
| 4 in. pots heavy Coriacea (Korean) 4'-6' | 2.00 | 10.00 |
| 2½ in. pots | .90 2.50 | 7.00 18.00 |
| Helix (English) 60'-75' 21/4 in. pots | .65 1.50 | 5.00 12.00 |
| Helix gracilis (Miniature) 75'-10 | | 12.00 |
| 2 in. pots | .50 | 4.00 |
| 4 in. pots not staked 4 in. pots staked, heavy | $1.50 \\ 1.75$ | $12.00 \\ 15.00$ |
| JASMINUM primulinum (Primros 2 yr. No. 1 | | • |
| LONICERA Scarlet Trumpet (Red | lflowerin | g |
| Honeysuckle) 15'-20' 2 yr. No1 | 1.75 | |
| VINCA (Periwinkle) Minor (Common) 6"-8" | | |
| 1 yr. No. 1 | .65 | 5.00 |
| 2 yr. No. 1 | .75 | 6.00 |
| Minor alba (White) 6"-8" 1 yr. No. 1 | .90 | 7.00 |
| VITIS coignetiae (Gloryvine) 10'-3 yr. No. 1 | 12 ′ 3.00 | |
| WISTERIA Multijuga (Longcluster) 30'-50' | | |
| 3 yr. No. 1, 2 to 3 ft | | Per 10 3.50 |
| dinami: /A | | Per 100 |
| Sinensis (Common Purple) 30'-5 2 yr. No. 1 | 2.00 2.50 | 16.00 18.00 |
| | | |

Hardy Perennials and Rock Garden Plants for Spring Season 1935

(For Spring delivery all or the greater part of our Perennials will be well established in pots, mostly 3 inch pots.)

Varieties marked with a star * are suitable for Rock Gardens. Special letter prices quoted on receipt of list, stating number of a variety wanted.

ACHILLEA-Milfoil or

| Yarrow | er 10 | Per 100 |
|--|-------|---------|
| *—Clavennae, about 8 to 10 ins. high, pretty silvery-gray foliage and white flowers. Outstanding in the rock- | | |
| ery | 1.50 | 12.00 |
| —Filipendulina, 3 to 4 ft., June and Sept., flat heads of yellow flowers | .90 | 7.00 |
| —Millefolium Roseum, rosy pink, 2 ft | .75 | 6.00 |
| *—Tomentosa, carpet-like plant 8 to 10 ins. yellow flowers, June-August | 1.00 | 8.00 |
| ACONITUM—Monkshood —Fischeri, 2 to 3 ft., dark | | • |
| blue flowers August-September, all Aconitums do better in fairly rich soil, moisture and some shade. | ,- | |
| Potted only | 1.25 | 10.00 |
| *—Capillus-veneris, Southern Maidenhair Fern, 18 to 24 inch, also called Venus Fly Trap. Has trap-like | | |
| flowers | 1.50 | 12.00 |
| AETHIONEMA—Persian Candytuft *—Persicum, 10 to 12 ins., rose pink flowers May-June, grow in full sun | 1.25 | 10.00 |
| *—Pulchellum, prostrate habit, fair grower, rose-purple | | |
| flowers, about 4 inches high | 1.50 | 12.00 |
| *—Umbellatus, the blue African Lily. Potted only | 3.00 | 20.00 |
| AGROSTEMMA—Rose Campion—Coronaria, 2 to 3 ft.; crimson flowers and silvery foliage, | | |
| June-July | .75 | 6.00 |

| · · · · · · · · · · · · · · · · · · · | | |
|--|-------|------------|
| AJUGA—Bugle Weed Personal Pers | er 10 | Per 100 |
| flowers, May- June, pretty foliage. | 1.25 | 10.00 |
| *—Reptans, 4 to 6 ins., purple blue flowers, foliage same as the above | 1.00 | 9 00 |
| ALLIUM | 1.00 | 8.00 |
| *—Thibetica, an attractive low flowering plant of the onion family, 8 to 10 ins., lilac mauve flower in June-July | 1 50 | 12.00 |
| ALYSSUM—Basket of Gold | 1.00 | 12.00 |
| *—Argenteum, 12 to 15 ins., yellow flowers, May-August | .90 | 7.00 |
| *Citrinum, pale citron-yellow, | | |
| early, fine for sunny border or Rock Garden | 1.00 | 8.00 |
| *—Saxatile Compactum, 12 to 15 ins., bright yellow flowers, April-May | .7,5 | 6.00 |
| AMSONIA—Willow Amsonia —Tabernaemontana, 2 to 3 ft., flowers of light blue in panicles in May and early June; fine for hardy bor- der or among shrubbery. | 1.25 | 10.00 |
| ANCHUSA—Alkanet —Italica Dropmore, 4 to 5 ft., blue flowers all summer | .90 | 7.00 |
| —Lissadel. Large gentian blue flowers. Fine selected varieties. Deep blue. Likes sun. 4 to 5 ft. Border Plant. | 1.25 | 1\0.00 |
| *—Myosotidiflora, 12 to 15 ins., | | |
| azure blue flower, May- June | 1.25 | 10.00 |
| *—Officinalis Incarnata. New introduction resembling dropmore except dwarf in habit. 2 ft. Blue with white throat; erect | 1 95 | 8.00 |
| ANDROSACE—Rock Jasmine | 1.20 | 0.00 |
| *—Lanuginosa, silvery foliage and clusters of soft rose- colored flowers June-July. Likes a protected sunny spot | 1.50 | 12.00 |
| ANEMONE SPECIES—Wind F | | r |
| *—Japonica, the Japanese windflower, 2 to 3 ft. tall, flowers September to frost, fine for cutting; need some protection in winter; varieties as follows: | | |
| —Alba, single white. —Alice, rosy pink. | | |
| | | |

| -Queen Charlotte, semi-dou- | | |
|---|-------|---------------|
| ble pink. Richard Ahrends, shell pink, best of all. | | |
| —Rubra, rosy red.—Whirlwind, double white. | | |
| | er 10 | Per 100 |
| Prices for preceding Anemones. Field Grown Plants For Spring, 2¼ in. pots | | 8.00 6.00 |
| *—Hupehensis, early anemone, 12 to 15 ins., mauve rose flower, August - October, | | |
| Japonica type | .90 | 7.00 |
| *—Pulsatilla, pasque flower, 10 to 12 ins., purple flowers in early spring | 1.00 | 8.00 |
| *—Pulsatilla Alba, white form of the above | | 12.00 |
| *—Sylvestris, about 12 ins. high, large creamy white flowers blooming freely in May and June, likes a cool, moist place and | | |
| makes a lovely cut flow- er. | 1.00 | 8.00 |
| ANTHEMIS—Camomile | | |
| —Tinctoria Perry's Variety, a splendid new variety 2 ft. high, bright golden yellow flowers all summer, | | |
| good for cutting | .75 | 6. 00 |
| *AQUILEGIA—Columbine *—Alpina, 12 to 15 in., blue | | |
| flowers in May | 1.25 | 10.00 |
| *—Bicolor Fl. Pl. Double flowers deep purple lower portion white, 18 inches. | | |
| May-June. Likes sun | 1.25 | 10.00 |
| *—Caerulea, 18 to 24 ins.; blue flowers, May-June | 1.25 | 10.00 |
| *—Canadensis, 12 to 18 ins., red and yellow flowers, May | .75 | 6.00 |
| —Chrysantha, 18-24 ins., light yellow flowers, May-June. | .75 | 6.00 |
| *—Flabellata Nana Alba, 8 to 12 ins., white flowers, Ap- ril-May. | 1.25 | 10. 00 |
| —H. & S. Long Spurred Hybrids, a very fine mixture | 1.00 | 8.00 |
| *—Jaeschkani. New varieties from Japan, many shades 18 inches, May and June | | |
| Likes the sun | 1.50 | 12.00 |
| Kelway's Long Spurred, a fine strain; clear, well de- fined colors, long spurs, | | |
| about 2 ft. high | 1.00 | 8.00 |

| Per 10 Per 100 -Mrs. Scott Elliott, one of the best long spurred hybrid strains, many colors90 7.00 *-Vulgaris, 15 to 18 ins., purplish blue flowers, AprilMay | <u> </u> | | |
|---|---|--------------|---------|
| the best long spurred hybrid strains, many colors90 7.00 *-Vulgaris, 15 to 18 ins., purplish blue flowers, April-May | | Per 10 | Per 100 |
| plish blue flowers, April-May. 1.00 8.00 ARABIS—Rock Cress *—Alpina, 8 to 12 ins., white flowers in April. 90 7.00 *—Alpina Fl. Pl., a good double flowering form of the above. 1.25 10.00 *—Alpina Rosea, similar to Alpina, with an abundance of lovely rose flowers fading to pale pink. 1.25 10.00 ARENARIA—Sand Wort *—Balearica, 1 inch white flowers, May-June 1.75 15.00 *—Grandiflora, 4 to 6 ins., white flowers, May-June. 1.00 8.00 *—Montana, 8 to 10 ins., white flowers, May-June. 1.25 10.00 *—Verna, 3 to 4 in., a good variety to use between flagstones; white flowers all summer. 1.00 8.00 ARMERIA—Thrift *—Laucheana, 4 to 6 ins., rosy red flowers, May-June. 1.25 10.00 *—Maritima, 4 to 6 ins., pink flowers, May-June. 1.00 8.00 *—Maritima Alba, white flowering variety of the above. 1.00 8.00 *—Statice Armeria, common thrift, 12 to 18 ins., mixed colors, May-June. 1.00 8.00 ARTEMISIA—Wormwood —Lactiflora, 4 to 5 ft. white flowers, August September, very good for cutting. 90 6.00 —Silver King, 2 to 3 ft., silver foliage. 80 7.00 ASCLEPIAS—Butterfly Weed —Tuberosa, 18 to 24 in., orange flowers, July-August | the best long spurred hy- | .90 | 7.00 |
| *—Alpina, 8 to 12 ins., white flowers in April | plish blue flowers, April- | 1.00 | 8.00 |
| ### flowering form of the above | *—Alpina, 8 to 12 ins., white | .90 | 7.00 |
| pina, with an abundance of lovely rose flowers fading to pale pink | flowering form of the | 1.25 | 10.00 |
| *—Balearica, 1 inch white flowers, May-June | pina, with an abundance of lovely rose flowers fad- | 1.25 | 10.00 |
| *—Balearica, 1 inch white flowers, May-June | | | |
| **Montana, 8 to 10 ins., white flowers, May-June. 1.25 10.00 **—Werna, 3 to 4 in., a good variety to use between flagstones, white flowers all summer. 1.00 8.00 **ARMERIA—Thrift **—Laucheana, 4 to 6 ins., rosy red flowers, May-June. 1.25 10.00 **—Maritima, 4 to 6 ins., pink flowers, May-June. 1.00 8.00 **—Maritima Alba, white flowering variety of the above. 1.00 8.00 **—Statice Armeria, common thrift, 12 to 18 ins., mixed colors, May-June. 1.00 8.00 ARTEMISIA—Wormwood —Lactiflora, 4 to 5 ft. white flowers, August September, very good for cutting. 90 6.00 —Silver King, 2 to 3 ft., silver foliage. 80 7.00 ASCLEPIAS—Butterfly Weed —Tuberosa, 18 to 24 in., orange flowers, July-August | *—Balearica, 1 inch white flowers; May-June | 1.75 | 15.00 |
| #-Verna, 3 to 4 in., a good variety to use between flagstones; white flowers all summer | white flowers, May-June. | 1.00 | 8.00 |
| riety to use between flag- stones, white flowers all summer | | 1.25 | 10.00 |
| *—Laucheana, 4 to 6 ins., rosy red flowers, May-June | riety to use between flag- stones, white flowers all | 1.00 | 8.00 |
| *—Maritima, 4 to 6 ins., pink flowers, May-June 1.00 8.00 *—Maritima Alba, white flowering variety of the above. 1.00 8.00 *—Statice Armeria, common thrift, 12 to 18 ins., mixed colors, May-June 1.00 8.00 ARTEMISIA—Wormwood —Lactiflora, 4 to 5 ft. white flowers, August-September, very good for cutting | ARMERIA—Thrift | | |
| #-Maritima Alba, white flowering variety of the above. 1.00 8.00 *-Statice Armeria, common thrift, 12 to 18 ins., mixed colors, May-June. 1.00 8.00 ARTEMISIA—Wormwood Lactiflora, 4 to 5 ft. white flowers, August-September, very good for cutting. 90 6.00 Silver King, 2 to 3 ft., silver foliage. 80 7.00 ASCLEPIAS—Butterfly Weed Tuberosa, 18 to 24 in., orange flowers, July-August 7.75 6.00 ASPHODELUS—Asphodel Luteus, 3 to 4 ft., bright yellow flowers in summer. 1.25 10.00 ASTERS—(Various Species) *Alpinus, purple blue flowers | | 1.25 | 10.00 |
| *-Statice Armeria, common thrift, 12 to 18 ins., mixed colors, May-June 1.00 8.00 ARTEMISIA—Wormwood —Lactiflora, 4 to 5 ft. white flowers, August September, very good for cutting90 6.00 —Silver King, 2 to 3 ft., silver foliage | | 1.00 | 8.00 |
| thrift, 12 to 18 ins., mixed colors, May-June 1.00 8.00 ARTEMISIA—Wormwood —Lactiflora, 4 to 5 ft. white flowers, August-September, very good for cutting90 6.00 —Silver King, 2 to 3 ft., silver foliage80 7.00 ASCLEPIAS—Butterfly Weed —Tuberosa, 18 to 24 in., orange flowers, July-August | · · · · · · · · · · · · · · · · · · · | 1.00 | 8.00 |
| Lactiflora, 4 to 5 ft. white flowers, August-September, very good for cutting90 6.00 Silver King, 2 to 3 ft., silver foliage | thrift, 12 to 18 ins., mixed | 1.00 | 8.00 |
| ber, very good for cutting90 6.00 —Silver King, 2 to 3 ft., silver foliage | -Lactiflora, 4 to 5 ft. white | | |
| ver foliage | | .90 | 6.00 |
| —Tuberosa, 18 to 24 in., orange flowers, July-August | | .80 | 7.00 |
| ange flowers, July-Aug- ust | - | | |
| —Luteus, 3 to 4 ft., bright yellow flowers in summer 1.25 10.00 ASTERS—(Various Species) *—Alpinus, purple blue flowers | ange flowers, July-Aug- | .75 | 6.00 |
| *—Alpinus, purple blue flowers | —Luteus, 3 to 4 ft., bright yel- | 1.25 | 10.00 |
| | *—Alpinus, purple blue flowers | 1. 25 | 10.00 |

| | er 10 | Per 100 |
|---|-------|----------------------|
| —Feltham Blue. 5 ft. blue vio- | | |
| let. September - October Likes sun | 1.25 | 10.00 |
| *—Mauve Cushion, 8 to 10 in., that excellent species with | | |
| soft mauve flowers in October and November | 1.00 | 8.00 |
| Novae-angliae, the species fond | lv k | nown as |
| the New England Aster or Daisy, include the following f | Mic | chaelmas |
| —Barr's Pink, 4 to 5 ft., flow- | | |
| ers large and the best pink | 1.25 | 10.00 |
| —Blue Gem, 4 to 5 ft. double | 1.00 | 0.00 |
| and finest blue | | 8.00 |
| —Climax, 4 to 5 ft., lavender | 1.00 | 8.00 |
| —Elta, 4 to 5 ft., semi-double pale lilac | .90 | 7.00 |
| *—Erica, 2 ft., semi-double pink | .90 | 7.00 |
| -Maggie Perry, pleasing | .00 | 7.00 |
| mauve | .90 | 7. 00 |
| —Maid of Athens, light laven- der-blue | .90 | 7.00 |
| —Queen Mary, 3 ft., blue tinted lavender | 1.00 | 8.00 |
| —Sam Banham, early semi- | 1.00 | 8.00 |
| double white | 1.00 | 8.00 |
| ASTILBE | | |
| America. 3 ft. light pink, June-July. Sun or shade. | 1.50 | 12.00 |
| *—Gloria Superba, very pro- lific, flowers deep pink | 1.50 | 12.00 |
| AUBRIETIA—Purple Rock-cress | | |
| *—Large Flowering Hybrids, | | |
| dwarf creeping plant. Ap- | 1 00 | 0.00 |
| ril-June, a nice rock plant. *—Mrs. Lloyd Edwards. beauti- | 1.00 | 8.00 |
| ful crimson-purple variety | 1.50 | 12.00 |
| *—Rose Queen. Rose pink | | |
| flowers, April-June. 4-6 inches. Likes sun | 1.50 | 12.00 |
| BAPTISIA—False Indigo | | |
| —Australis, 2 ft. high, dark blue flowers in June | .65 | 5.00 |
| BELLIS Perennis— | | |
| English Daisy * | 00 | 7.00 |
| *—Monstrosa, double pink *—Monstrosa, double white | | 7.00 7. 00 |
| BELLIUM—Alpine Daisy | | |
| *—Bellidiolides, a dainty little | | |
| plant, small white daisy- | 1.05 | 10.00 |
| like flowers in summer | 1.25 | 10.00 |
| BOCCONIA—Plume Poppy —Cordata, tall stems, creamy | | |
| white flowers | .90 | 7. 00 |

| Per 10 BOLTONIA—False Camomile | Per 100 |
|--|---------------|
| —Latisquama, 4 to 5 ft., pink tinted lavender, July-August | 6.00 |
| BUPHTHALMUM—Ox Eye —Salicifolium, 2 ft. high, large golden yellow flowers in summer | 8.00 |
| **CALAMINTHA—Calamint **—Alpina, 8 to 10 ins., purple flowers, June-July 1.00 | 8.00 |
| *CALLIRHOE—Poppy Mallow *—Involucrata. Mallow poppy. 1 ft. flowers reddish purple. Blooms all summer. Likes sun 1.25 | 10.00 |
| *—Vulgaris Alporti, crimson flowers on stems about 18 inches high 4.50 | 35.00 |
| *—Vulgaris Aurea, yellow foliage, pink flowers 4.00 | 30.00 |
| *—Vulgaris Humilis, about one foot high with rich green foliage and tiny white flowers | 35. 00 |
| *—Vulgaris Rosea, pink flowers on tall straight stems 4.00 | 30.00 |
| *—Vulgaris Rubra, deep rosy carmine flowers, from 4 in. pots 4.50 | 35.00 |
| *—Carpatica, 8 to 10 ins., large cupshaped blue flowers all summer | 8.00 |
| *—Carpatica alba, pretty, pure white variety of the Car- pathian Harebell, about 8 inches high, flowers in July and August | 7.00 |
| *—Elegans, 18 in., blue flower all summer 1.00 *—Garganica, 4 to 6 in., lilac | 8.00 |
| blue flowers, June-July 1.50 *—Glomerata, a fine Campanula | 12.00 |
| for rockery or border about 18 ins. high, deep purple flower, June-July. 1.25 Medium Biennial Canter- bury Bells, mixed colors | 5 10.00 |
| of many shades | 6.00 |
| nial to 4 ft. tall, very excellent for late Spring and Summer blooms | 6.00 |

| | | |
|--|-------|--------------|
| | er 10 | Per 100 |
| —Medium Single Rose, beauti- | | |
| ful variety of these biennials | .75 | 6.00 |
| | .,, | 0.00 |
| *Muralis, dwarf and covered | | |
| abundantly with bluish- | | |
| purple flowers in June; the ideal plant for the | | |
| stone wall and rock gar- | | |
| den | 1.00 | 8.00 |
| Pargiaifalia another good | | |
| — Persicifolia, another good Campanula for the peren- | | |
| nial border, blue flowers, | | |
| May-July | 1.00 | 8.00 |
| -Persicifolia Alba, a white | | • |
| variety of the above | 1.00 | 8.00 |
| 0 | | |
| —Persicifolia coerulea. New variety of persicifolia. | | |
| Deep blue. Likes the sun. | 1.50 | 12.00 |
| • | 1.00 | 42.00 |
| .—Persicfolia Telham Beauty, | | |
| very large bells of beautiful china blue on 2 ft. | | |
| stems | 1.25 | 10.00 |
| 4 | | |
| *—Pusilla, another gem for the | | |
| rockery, 4 to 6 in. lilac blue flowers from June to | | |
| September | 1.75 | 15.00 |
| • | | , |
| *—Pusilla Alba, a white variety of the above | 1.25 | 10.00 |
| | | |
| *—Rotundifolia, 10 to 12 ins. blue flowers, July-Septem- | | |
| ber | 1.00 | 8.00 |
| | | |
| —Trachelium, 2 to 3 ft., single drooping bell shaped light | | |
| purple flowers, a very har- | | |
| dy Campanula, July-Sep- | | |
| tember | .90 | 7.0 0 |
| CARNATION HARDY | | |
| —Chaubaud Mixed | 1.00 | 8.00 |
| —Grenadin Scarlet | | 8.00 |
| | 1.00 | 0.00 |
| -Tausendschon, soft pink, continuous bloomer | .90 | 7.00 |
| | ••• | •••• |
| CENTAUREA—Hardy Corn | | |
| Flower or Knapweed | | |
| —Dealbata, 18 to 24 in. rose pink flowers, June-July | 1 00 | 8.00 |
| prink nowers, June-July | 1.00 | 8.00 |
| -Macrocephala, the Globe | | • |
| Centaurea is very attrac- | | |
| tive with its golden yel- | | |
| low flowers on 3 ft. stems in July and August, and | | |
| is exceptionally fine for | | |
| cutting | .75 | 6.0 0 |
| • | | |
| -Montana, 18 to 24 ins., dark blue flowers all summer | .75 | 6.0 0 |
| prac nowers an summer | ., 0 | 0.00 |

| P | er 10 | Per 100 |
|--|--------|---------|
| CEPHALARIA—Giant Scabions —Tatarica, 5 to 6 ft., showy cream white flowers, July | | |
| and August | 1.00 | 8.00 |
| **ERASTIUM—Snow in Summer *—Tomentosum, an attractive plant in bloom and out of bloom, 8 to 10 in. high, snow white flowers and silvery white foliage | .90 | 7.00 |
| CHEIRANTHUS—Siberian Wal | lflowe | r |
| -Allioni, great profusion of fragrant fiery orange flowers on stems a foot high. Biennial | 1.25 | 10.00 |
| CHELONE BARBATA see Pentstemon Barbatus | | |
| CHRYSANTHEMUM—Hardy | | |
| Garden Varieties: | | |
| —Angelo, light pink. Spring only.—Boston, bronze orange. | | |
| Spring only. | | |
| —Edina, rose pink.—Glory of Seven Oaks, yellow. | | |
| Spring only. | | |
| —Idolf, salmon pink, very early. | | |
| -October Gold, orange yellow. | | |
| Pompon - Aster, flowering varieties. | | |
| —Tints of Gold, a good early variety, large golden yel- | | |
| low flowers. | | |
| -Walverine, large yellow, a little darker in color than Glory of Seven Oaks, very | | |
| early. Spring only. | | |
| —Zelia, large orange. Spring only. | | |
| CHRYSANTHEMUM — Pompon Button Varieties: | | |
| -Bronze Doty, new large | | |
| bronze flowers, $2\frac{1}{4}$ in pots. Spring only | 1.25 | 10.00 |
| -Button Bronze, very small. | | |
| -Button Yellow, very small. | | |
| -Captain R. H. Cook, deep | | |
| rose, very good variety. | | |
| —Mrs. H. Harrison, a good light pink. | | |
| -Pink Doty, a good pink button, 21/4 in. pots. Spring | | 10.00 |
| only | 1.40 | 10.00 |
| White Doty, large whiteYellow Doty, a dainty new | | |
| yellow type, 2½ in. pots. | | |
| Spring only | 1.25 | 10.00 |

| • | | | |
|---|--|------|---------|
| | | 10 | Per 100 |
| | CHRYSANTHEMUM — Single | | |
| | or Daisy Flowering Varieties | | |
| | —Araby, large white. —Bertha Fairs, brilliant rose | | |
| | pink. —Bronze Buckingham, glow- | | |
| ^ | ing bronze. —Cosmos, deep purplish car- | | |
| | mine. — Dainty , early orange. | | |
| | —Dazzler, scarlet, our best single chrysanthemum. | | |
| | —Joyce Strowlger, bronzy sal- mon pink. | | |
| | -Mrs. Calvin Coolidge, cardi- nal red. | | |
| | —Mrs. John Stewart, Jr., bronze. | | |
| | -Sarah, single yellow. | | |
| | All of the above Chrysan- themums, except as noted, | 75 | 6.00 |
| | 2½ in. pots for Spring | | 6.00 |
| | Heavy Field Grown Plants 2 | 2.00 | 17.00 |
| | CHRYSANTHEMUM species— Maximum Shasta Daisy | | |
| | —Alaska, large white, in June- July, good for cutting | .75 | 6.00 |
| | *—Arcticum, Arctic Daisy, 12 to 18 ins. high, large sin- | | • |
| | gle white flowers, Sept November | .90 | 7.00 |
| | *—Coreanum, new pretty large single white tinted rose | | |
| | flowers, SeptNovember | .90 | 7.00 |
| | *—Mawii, a new delightful in- troduction which is a real gem in the Rockery. The | | , |
| | rich pink flowers and silvery green foliage make | | |
| | this plant very attractive | .90 | 7.00 |
| | —Mrs. C. L. Bell, very large white, June-August 1 | 1.00 | 8.00 |
| | CLEMATIS | | |
| | —Integrifolia, this is not a climbing variety of the | | |
| | Clematis family but is handsome and shrubby- | | |
| | like to about 3 ft. tall. Pretty blue flowers in | | |
| | June and July | 1.75 | 15.00 |
| | CONVALLARIA —Majalis (Lily-of-the-Valley) | | |
| | The true variety with pretty little bells of pure | | |
| | white | 1.25 | 10.00 |
| | COREOPSIS—Tickseed | | |
| | —Grandiflora, 18 to 24 in., bright yellow flowers all | | |
| | summer | .65 | 5.00 |

| | Per 100 |
|--|---------------|
| *—Cheilanthifolia, nearly stem- less perennial to about 8 | |
| inches high, yellow flow- | |
| ers one-half inch long 1.50 | 12.00 |
| CRUCIANELLA—Crosswort | |
| *—Stylosa, 10 to 12 in. flesh rose flowers, May until | |
| Fall, a good creeping plant .90 | 7.00 |
| DELPHINIUM—Hardy 2 yr. | |
| Larkspur | |
| —Belladonna, sky bue90 | 7.00 |
| -Bellamosa, dark blue90 *-Chinese Blue 1.00 | 7.00 8.00 |
| -Elatum Iceberg — white | 6.00 |
| flowers on erect stems | |
| $3\frac{1}{2}$ ft. high. Likes the sun 1.50 | 12.00 |
| -English Hybrids, many | 12.00 |
| shades 1.25 | 10.00 |
| —Hollyhock Wrexham Strain. 2.00 | 17.0 0 |
| —Kelway's English Hybrids 2.00 | 17.00 |
| DIANTHUS—Pinks | |
| *—Alpinus, 4 to 6 in. bright | |
| pink flowers in May 1.75 | 15.00 |
| *—Arenarius, sand pink, white fringed flowers all sum- | |
| mer, height 6 to 8 ins 1.00 | 8.00 |
| -Barbatus, dark crimson75 | 6.00 |
| —Barbatus Holborn Glory, | |
| large flowering Auricula- eyed type of brilliant col- | |
| ors | 6.00 |
| -Barbatus Newport Pink, | |
| salmon pink flowers75 | 6.00 |
| —Barbatus nigrescens, rich velvet-maroon; very ef- | |
| fective | 6. 00 |
| -Barbatus Scarlet Beauty, | |
| scarlet flowers | 6.00 |
| *—Beatrix (true), double sal- | |
| mon-pink flowers born on stems 10 to 12 inches high | |
| from May to November 1.75 | 15.00 |
| *—Caesius, a pretty compact | |
| growing species 4 to 8 ins., fragrant rose colored flow- | |
| ers; May-June 1.00 | 8.00 |
| *—Caesius Fl. Pl., a double va- | 40.00 |
| riety of the above 1.50 | 12.00 |
| *—Deltoides, prostrate plant s m a l l crimson flower, | |
| June-July | 7. 00 |
| *—Deltoides Albus, a profusion | |
| of lovely tiny white flowers June-July90 | 7.00 |
| 020 0 uno 0 urg 11111111111111111111111111111111111 | |

| 7 | Per 10 | Per 100 |
|---|--------|---------------|
| —Deltoides Brilliant, fascin- ating crimson-red flowers June-July, exceptionally outstanding in the rockery | | |
| and border | | 8.00 |
| *—Deltoides Quisley Hybrids. Various shades of red to pink. Habit similar to type. Blooms May and | 1.00 | 0.00 |
| June. Likes sun *—Knappi, 12 to 15 in., sul- | | 8.00 |
| phur yellow flower in July | 1.25 | 10.00 |
| -Latifolia, atrococinea Fl. Pl. everblooming Sweet William, double crimson flowers all summer | .75 | 6.00 |
| *—Plumarius, old fashioned yard flowers, various shades of pink, June-July | .75 | 6.00 |
| -Plumarius sem perflorens- Varieties of Plumarius 1½ ft. Glaucus foliage flowers rose to purple, white and partly colored May and June. Likes sun. | • | 8.00 |
| DICENTRA—Bleeding Heart *—Eximia, 12 to 18 in. finely cut foliage, pink flowers from April-September | | 10.00 |
| Spectabilis, old fashioned Bleeding Heart | | 17.0 0 |
| DIGITALIS—Foxglove. —Ambigua. Yellow marked with brown 3 ft. biennial. July. Likes the sun | 1.50 | 12.00 |
| —Giant Shirley, biennials, a fine mixture of large flowers | 1.00 | 8.00 |
| DORONICUM—Leopard's Bane —Caucasicum, showy yellow daisy-like flowers on 24 inch stems in early spring | 2.50 | 18.00 |
| *—Plantagineum excelsum, large yellow flowers, 18 to 24 in. high, splendid cut flowers | 3.00 | 20.00 |
| DRABA—Whitlow grass. *—Aizoides. 4 inch tufted leaves ½ in. long in rosettes. Sulphur yellow | | |
| flowers. Limestone. Likes sun | 1.50 | 12.00 |
| *—Repens. Low creeping mustard yellow. Blooms from | | |
| March-May. Likes sun | 1.00 | 8.00 |

| | Per 100 |
|---|---------|
| —Purpurea, Purple Coneflower, about 3 ft. high, handsome, large purple flowers with brown cone center, very showy, from July to early autumn 1.00 | 8.00 |
| ECHINOPS—Globe Thistle | |
| -Ritro, 3 to 4 ft. high, very useful and attractive in the background and border with its metallic-blue flowers from July to August | 8.00 |
| ERICA—Heath | |
| *—Stricta, the Corsican Heath, is a sturdy favorite with rosy purple flowers on stems about 18 inches high 4.00 | 30.00 |
| ERIGERON—Fleabane | |
| *—Alpinus, 6 to 10 in. lilac flowers, May-August 1.25 | 10.00 |
| —Speciosus, about 2 ft. high lilac blue flowers, June-August, good for cutting90 | 7.00 |
| ERINUS—Liver Balsam | |
| *—Alpinus. One of the neatest alpines for among the rocks. Compact tufts covered with tiny purple flowers. 4-6 ins. May-June 1.50 | 12.00 |
| *—Alpinus Albus, a pretty pure | |
| white variety of the following 1.00 | 8.00 |
| *—Alpinus Roseus, a pretty dwarf growing plant, well- suited for rockery, 4 to 6 ins. high, rosy purple flow- ers in May-June 1.25 | 10.00 |
| *—Dr. Hanelle, crimson flow- | 10.00 |
| ers, a charming variety 1.50 | 12.00 |
| *—Caespitosum, very showy golden - yellow flowers, most delightful in the rock | |
| garden. Potted only 1.50 | 12.00 |
| ERYNGIUM—Sea Holly —Amethystinum, about 2 ft. high violet blue flowers, July-August | 8.00 |
| EUPATORIUM—Hardy Ageratum | |
| -Coelestinum, a showy flower for late summer and early blooming, light purple flowers, 18 to 24 ins. high, splendid for cutting | 6.00 |
| Spronded for outsing | . 0.00. |

| • | |
|--|---------------------------|
| EUPHORBIA Per : *—Myrsinitis. Glaucus blue | 10 Per 100 |
| stems drooping from cen- ter clusters of bright yel- | - |
| low flowers, July. Likes sun. 8 inches 1. | 25 10.00 |
| *—Polychroma, yellow flowers on one foot stems in May and June; very striking in the border or Rock Garden 2. | 00 17.00 |
| FUNKIA—Plantain Lily | |
| —Caerulea, 18 to 24 in., blue flowers, July-August 1. | 00 8.00 |
| —Variegata, pretty variegated foliage, light blue flowers. 1. | 00 8.00 |
| GAILLARDIA—Blanket Flower —Dazzler, very showy large yellow and red flowers on | |
| —Grandiflora. Red with yellow | 90 7.00 |
| border, a good perennial for mid-summer blooming. Likes sun | 90 7.00 |
| —Portola Hybrids, a fine strain of many colors in flower from June to frost | 75 6. 00 |
| GALIUM—Bedstraw *—Verum, 12 to 18 in., yellow flowers, July-September 1. | 25 10.00 |
| GERANIUM—Crane's Bill —Pratens, large blue flower, | |
| June-September, 2 to $2\frac{1}{2}$ ft. high 1. | 00.8 00 |
| *—Sanguineum, 15 to 18 in. crimson flowers all summer 1. | 00 8.00 |
| GERBERA—Transvaal Daisy *—Jamesoni Hybrids. Potted | |
| only 2. GEUM—Avens | 50 18.00 |
| *—Borissi, very striking, vivid red flowers 1. | 50 12.00 |
| *—Heldreichi, 12 to 15 in. bright orange flowers all summer 1. | .25 1 0.0 0 |
| *—Lady Stratheden, about 18 in. high, large double yellow flowers all summer 1. | .00 8.00 |
| *—Mrs. Bradshaw, double large bright scarlet flowers all | _ |
| *—Prince of Orange. A novelty | .00 8.00 |
| of merit. Fine orange blooms on long stems. July. 18 inches. Likes sun 1. | 50 12.00 |

| Porange Queen, a new novelty | | Per 100 |
|---|--------------|--------------|
| striking shade of orange. Flowers double, July. 18 inches, likes sun | | 12.00 |
| *-Nudicaulis, 6 to 8 inches high, fine heads of blue flowers | 1.25 | 10.00 |
| *—Trichosanthes, 8 to 10 in., li- lac blue flowers in June, fine rock or border plant. | 1.25 | 10.00 |
| *-Festuca Glauca, 8 to 12 in., pretty bluish foliage, good for rockery | .90 | 7. 00 |
| GYPSOPHILA—Baby's Breath —Bristol Fairy, new double white flowers, 2 to 3 ft., field plants. Potted only | 3.00 | 20.00 |
| —Paniculata, 2 ft. high, covered with tiny, single white, mist-like flowers in June and July. Field | pag par | 2.00 |
| only | .75 | 6.00 |
| *—Repens, a nice creeping plant, white flowers in May-June | .75 | 6.00 |
| HELENIUM—Sneezeweed —Autumnale Rubrum, bronze red form. | 1 .50 | 12.00 |
| —Autumnale Superbum, splendid hardy plant, golden yellow flowers, July-September 3 to 5 ft. tall | 1.00 | 8.00 |
| —Hoopesi, 2 to 3 ft. tall, large orange-yellow flowers in May and June, very early flowering | .75 | 6. 00 |
| Dwarf 2-3 ft. yellow, dark center, September-October. Likes sun. | 1.50 | 12.00 |
| —Riverton Beauty, 3 to 4 ft., lemon yellow flowers, early fall flowering. | 1.25 | 10.00 |
| Riverton Gem, 3 to 4 ft., old | 2 00 | 17.00 |
| gold, August-October HELIANTHEMUM—Sun Rose *—Mixed Varieties | | 8.00 |
| -Chamaecistus mutabile, the Fickle Sunrose, is excellent on the wall rock-garden or in the dry, sunny border with its wealth of multi-colored flowers | | |
| throughout the early sum- | .90 | 7.00 |
| mot | .00 | 7.00 |

| HELIOPSIS—Orange | Per 10 | Per 100 |
|--|------------------|--------------|
| Sunflower | y 90 | 7.00 |
| —Scabra Excelsa, splends plants for the perennis border about 3 ft. high chrome yellow flower July-September | al h, s, | 8.00 |
| —Scabra Zinniaeflora. Yello July- Sept. 3 ft. Likes su | | 8.00 |
| HEMEROCALLIS—Day Lilies —Flava Lemon Day Lily, 2 3 ft., lemon yellow flowed in June. | to · | 12.00 |
| HESPERIS—Sweet Rocket —Matronalis, about 3 ft. ta fragrant purple flowers June | in | 7. 00 |
| —Matronalis Alba, a fine whit variety of the above | | 7.00 |
| HEUCHERA—Alum Root Coralbells | | |
| *—Brizoides Gracilina. Dec coral red 12 to 15 in. Ju Likes sun. | $ar{\mathbf{y}}$ | 12.00 |
| *Rosmondi, a splendid plan pretty coral pink flowe in late spring and ear summer, about 18 in. ta | rs l y | 12.00 |
| *—Sanguinea, another fine bea tiful coral crimson flowed 12 to 18 in., June flowed | u- er, er- | |
| ing******************************** | te | 10.00 |
| form of the above *—Sanguinea Pleu De Fe | | 10.00 |
| bright fiery red flowers *Splendens. Light pink v | | 12.00 |
| variety of type similabit. Likes sun | | 12.00 |
| HIBISCUS—Giant Mallow —Hibiscus, mixed | . 75 | 6.00 |
| HOLLYHOCKS —Allegheny —Double Crimson —Double White —Double Yellow —Lilac Beauty —Newport Pink | | • |
| All of the above Hollyhoc. | ks .75 | 6.00 |
| *—Pyrenaicum, flowers bluis | | |
| purple long leafless spik in summer about 1 ft. hig | | 10.00 |

| Per 10 I | Per 100 |
|----------------------------------|--------------|
| HYPERICUM—St. Johnswort | |
| -Ascyron, 3 to 4 ft., flowers | |
| in July, fine for back- | |
| | 12.00 |
| ground 1.50 | 12.00 |
| *—Coris, about 3 ins., graceful | |
| | |
| foliage, large yellow flow- | |
| ers, very fine for the bor- | |
| der or rock garden 1.50 | 12.00 |
| | |
| *—Fragile, very graceful Al- | |
| pine species with yellow | |
| flowers 1.50 | 12.00 |
| | |
| —Henryi, 2 to 3 ft., golden yel- | |
| low flowers in late sum- | |
| mer and early fall 1.50 | 12.00 |
| mer and earry ran 1.00 | 12.00 |
| *—Moserianum, very pretty va- | |
| riety, 18 to 24 in., a fine | |
| plant for the border or | |
| | 10.00 |
| rock garden 1.50 | 12.00 |
| *-Polyphyllum, a charming | |
| | |
| trailing species for the | |
| Rock Garden with grayish | |
| foliage and large golden | |
| | 10.00 |
| yellow flowers 1.25 | 10.00 |
| *-Reptans, distinct trailing | |
| | |
| species, large golden yel- | |
| low flowers in July and | |
| August 1.25 | 10.00 |
| 6 | |
| TDTDTG Construction Ch | |
| IBERIS—Candytuft | |
| —Gibraltarica, about 10 to 12 | |
| in. high, handsome dark | |
| | |
| green foliage surmounted | |
| with delicate lilac flowers | |
| in May and June 1.25 | 10.00 |
| in may and band 1.20 | 20.00 |
| *—Sempervirens, 8 to 10 in., | |
| pure white flowers in May 1.00 | 8.00 |
| pare white hewers in may 2.00 | 0.00 |
| | |
| INULA—Fleabane | |
| *—Ensifolia, 8 to 10 in., pretty | |
| | |
| large yellow flowers, July- | 40.00 |
| September 1.25 | 10.00 |
| | |
| IRIS GERMANICA | |
| | 40.00 |
| —Ambassadeur, velvety purple1.25 | 10.00 |
| -Archeveque, deep purple75 | 6.00 |
| | |
| Gochi, rich claret purple75 | 6.00 |
| -Lieut. A. Williamson, violet | |
| and purple 1.00 | 8.00 |
| | |
| —Monsignor, purple | 6. 00 |
| -Prosper Laugier, orchids pur- | |
| | 0.00 |
| ple | 6.00 |
| -Queen Caterina, purple and | |
| | 8.00 |
| 8 | 8.00 |
| -Rhein Nixe, white and vio- | w(0.00 |
| let | 6.00 |
| | |
| —Shekinah. A delightful | |
| shade of pale yellow shad- | |
| ing to amber on the | |
| throat. Likes the sun 1.00 | 8.00 |
| univat. Likes the sull 1.00 | 0.0 0 |

| Pe IRIS KAEMPFERI—Japan Iris | r 10 | Per 100 |
|--|-------------|---------|
| —Assorted varieties | 1.25 | 10.00 |
| -Astarte, double dark violet. | | 12.00 |
| —Circe, double dark violet blue lined with white | 1.25 | 10.00 |
| -Eleanor Parry, double clar- et red flamed with white | | |
| and blue. | 1.25 | 10.00 |
| -Eumee, single dark violet | | 10.00 |
| —Gekka-No-Nami, a good white and easily grown | 1.25 | 10.00 |
| -Gold Bound, double pure white gold banded cen- | | |
| ter | 1.25 | 10.00 |
| blue | 1.25 | 10.00 |
| ple mahogany red, the la- | | |
| test to bloom | | |
| -Melpomene, double soft blue | | 10.00 |
| -Patrocle, single dark violet. | 1.25 | 10.00 |
| -Prosperpine, single bright | 1 00 | 0.00 |
| rich blue | 1.00 | 8.00 |
| violet, purple white petals, | 1 05 | 10.00 |
| golden throat | 1.20 | _10.00 |
| white. | 1.25 | 10.00 |
| IRIS SIBERICA—Siberian Iris —Blue King, nice blue. | 1.00 | 8.00 |
| -Snow Queen, pure white. | | |
| IRIS PUMILA—Dwarf Iris | | |
| *-Dixmude, blue and red bi- | | |
| color | 1.00 | 8.00 |
| *—Excelsa, pale lemon yellow | 1.50 | 12.00 |
| *-Schneekuppe, pure white | 1.50 | 12.00 |
| *IRIS CRISTATA — Crested | | |
| Iris, a nice little creeping | | |
| Iris, light blue flowers in May-June. | 1.00 | 8.00 |
| IRIS TECTORUM | | |
| *—Roof Iris, 8 to 10 in., pretty blue flowers in June | 1 95 | 10.00 |
| JASIONE—Sheep Scabiosa | 1.20 | 10.00 |
| —Perennis, 12 to 15 in., pret- | | - |
| ty blue flowers in June- | | |
| July | .75 | 6.00 |
| LATHYRUS—Perennial or Everlasting Sweet Pea | | |
| -Latifolius mixed, 3 ft. high, | | |
| racemes of lovely flowers | | |
| from June to August; fine | | |
| on walls and will stand salt water. (Potted only) | .75 | 6.00 |
| —Latifolius Pink Beauty, very | 1 00 | 0.00 |
| pleasing deep rose flowers | T.00 | 8.00 |

| -Latifolius roseus, a lovely | er 10 | Per 100 |
|--|------------|---------|
| rose form of the Everlasting Sweet Pea | 1.00 | 8.00 |
| LAVANDULA—Lavender | | |
| * Worm 10 to 00 in liles blue | | |
| *—Vera, 18 to 20 in., lilac blue flowers, July-September | 1.00 | 8.00 |
| LEONTOPODIUM—Edelweiss | | |
| *—Alpinum, wooly white flowers in June. | 1.25 | 10.00 |
| orb in bund. | 2.20 | 20.00 |
| LIATRIS—Gay Feather | | |
| -Pycnostachya, 4 to 5 ft., pur- | | |
| ple flowers in summer | 1.00 | 8.00 |
| .—Scariosa. Large showy pur- | | |
| ple heads and flowers | | |
| much later than the oth- | | |
| ers. A very imposing form | | |
| September. 4 to 5 ft | 1.00 | 8.00 |
| Schremper, 4 to 9 It | 00 | 0.00 |
| -Spicata. 2 to 3 ft. high, often | | |
| called Button Snakeroot, | | |
| produces long spikes of | | |
| purple flowers from July | | |
| | | |
| to Sept., enjoys a moist | 1.00 | 9.00 |
| situation | 1.00 | 8.00 |
| | | |
| LINARIA—Toadflax. | | • |
| —Cymbalaria. Not hardy | | |
| enough to test with hardy | | |
| plants | 1.00 | 8.00 |
| | | |
| LINUM— $Flax$ | | |
| *-Perenne, 18 to 24 in. pale | | |
| blue flowers all summer | .75 | 6.00 |
| | | |
| LITHOSPERMUM—Gromwell. | | |
| *—Heavenly Blue. Low grow- | | |
| ing. Shrub-like blooms | | |
| during July and August. | | |
| A gorgeous blue one of | | |
| the choicest rock plants. | | |
| | 1.00 | 9.00 |
| Lime stone. Partial shade | T.00 | 8.00 |
| TODUTA Deinkhaust | | |
| LOBELIA—Paintbrush | _ | |
| -Siphilitica, moisture loving | | |
| plant with dark blue flow- | | |
| ers on 3 ft. spikes | 1.25 | 10.00 |
| | | |
| LUPINUS—Lupine | | |
| -Polyphyllus Hybrids, 2 to 3 | | |
| ft | 1.00 | 8.00 |
| | | |
| LYCHNIS—Campion | | |
| -Chalcedonica, showy hardy | | - |
| border plant with scarlet | | |
| flowers in June and July, | | |
| about 3 ft. tall | .75 | 6.00 |
| WENTED O ID. PAII | | J.00 |
| *-Viscaria Splendens, pretty | | |
| pink flowers in June, 12 | | |
| to 15 ins. tall | .90 | 7.00 |
| | | |

| *-Viscaria splendens Fl. Pl., a | 0 Per 100 |
|--|-----------------|
| double flowering variety of the above 1.50 | 12.00 |
| *—Viscaria splendens Fl. Pl. Alba, a pretty white double flowering variety 1.50 | 12.00 |
| LYTHRUM—Purple loosestrife Roseum Superbum, about 3 ft. high, rosy purple flowers, June-July | 5 , 6.00 |
| MALVA—Musk Mallow | |
| -Moschata, showy native plant, light rose flowers all summer, 2 to 3 ft. tall. 1.00 | 0 8.00 |
| MAZUS *-Rugosa, a fine creeping | |
| plant lilac flowers with small white lip, early spring flowering 1.00 | 0 8.0 0 |
| MONARDA—Bergamot —Hybrids, many pretty shades 2 to 3 ft. flowers in July .7 | 6.00 |
| **MYOSOTIS—Forget-me-not **—Palustris semperflorens charming plants for moist shady places, pretty blue flowers in late spring and summer | 5 6.00 |
| 4 in. New and rare variety 1.0 | 0 8.00 |
| *-Ruth Fischer, particularly neat and of compact habit .9 | 0 7. 00 |
| NEPETA—Catmint | |
| *—Mussini, compact low plant lavender blue flowers in June-July, gray foliage 1.0 | 0 8.00 |
| *-Rivularis. Rapid grower with pure white cup shaped flowers. 4 inch. Partial shade 1.5 | 0 12.00 |
| OENOTHERA—Evening Primrose | |
| *—Fraseri, 12 in. pale yellow flowers, June-October 1.0 | 0 8.00 |
| -Fruticosa Major, 18 to 24 in. deep yellow, June-Septem- | 0 000 |
| ber 1.0 *Missouriensis, very large | 0 8.00 |
| beautiful yellow flowers June-August, low grow- | 0 000 |
| ing 1.0 | 0 8.00 |

| VESTMINSTER, MARYLAND | | · / | 47 |
|--|--------|--------------|----|
| Pe | er 10 | Per 100 | |
| *—Speciosa, 15 to 18 in., large white flowers all summer. | | 8.00 | |
| -Youngi, showy bright lemon yellow flowers, 18 to 24 in., June-July | 1.00 | 8.00 | |
| PACHYSANDRA—Japanese Spurge 2 yr. 2½ in. pots Per —Terminalis, the wonder | 100 | Per 1000 | |
| ground cover plant for shady places | 8.00 | 75.00 | |
| *—Choice Swiss Giants, transplanted, very fine strain of these biennials | | 3.00 | |
| *-Alpinum, low growing with fragrant white or yellow flowers | | | |
| PAPAVER NUDICAULE— Iceland Poppy *—Coonara shades. Beautiful shades of pink to Apricot. 1 ft. Blooms from latter | | | |
| part of April through most of the summer. Likes the sun | 1.00 | 8.00 | |
| *—New Hybrids, many lovely colors. | | 8.00 | |
| *—Orange, 18 in. high, soft silky flowers surmounting bright green foliage, very, very lovely | .75 | 6.00 | |
| PAPAVER ORIENTALE—Orien | ntal : | Poppy | |
| Beauty of Livermore, huge velvet-crimson flowers. Very showy | 1.25 | 10.00 | |
| -Mrs. Perry, 2 to 3 ft. high, flowers about 6 inches in diameter, of apricot orange tinged with pink, June | 1.00 | 8. 00 | |
| -Orientale, scarlet, strong 2 year plants from field | | 7. 00 | |
| —Perry's White, 2 to 3 ft. high, flowers of purest white with a splash of crimson-maroon at the base | 1.25 | 10.00 | |
| PEONIES | _,_0 | 20.00 | |
| —Peonies, white, pink, red | 1.25 | 10.00 | |

| Per | 10 | Per 100 |
|---|-----|---------|
| PENTSTEMON—Beard Tongue —Barbatus torreyi. 3 to 4 ft. Brilliant scarlet, blooms | | |
| in July 1. | 25 | 10.00 |
| -Barbatus Crimson, 2 to 3 ft.; a good summer flowering plant 1. | .25 | 10.00 |
| *—Glaber Roseus, procumbent habit, flowers pink to deep rose, hardy, and early blooming 1. | .25 | 10.00 |
| —Gloxineaflora, dense cluster- ed heads of blue flowers in | | |
| July and August 1. | .50 | 12.00 |
| *—Large Flowering Hybrids, graceful strain, handsome mixed colors 1. | .25 | 10.00 |
| —Pubescens, about 24 ins. high, a profusion of hand- some flowers shaded from purple to pale pink, likes | | |
| hot dry places 1 | .00 | 8.00 |
| —Unilateralis, fine for the border and cutting, the 2 to 3 ft. stems are literally covered with pretty blue flow- | 00 | |
| ers in June 1. PHLOX DECUSSATA—Hardy | .00 | ~ 8.00 |
| Garden Phlox | | - |
| -Antonin Mercie, lilac blue free flowering. | .75 | 6.00 |
| —B. Comte, Amaranth, dark red flower, very good | .75 | 6.00 |
| *—Jules Sandeau. Large individual flowers of good pure pink. 18 inches. July- | | |
| August 1 | .25 | 10.00 |
| —Mrs. Scholten. Dark pink almost red. 2½ ft. Erect habit, vigorous growth. | | gardi. |
| growth. Likes the sun 1 | .25 | 10.00 |
| -R. P. Struthers, rosy carmine with claret eye, another | 00 | 7.00 |
| good tall variety —Rijnstroom, Rynstrom, a fine | .90 | 7.00 |
| carmine rose color, free | .90 | 7.00 |
| PHLOX SUBULATA—Moss Phlo | x | |
| or Mountain Pink —Amoena. A low species about | | |
| 6 inches high, covered in the Spring with delicate | | |
| pink flowers. Makes a fine border plant and is very showy in the rockery 1 | 95 | 10.00 |
| smow's rm ind thewer's | 40 | 70.00 |

| P | er 10 | Per 100 |
|--|-------|---------------|
| *—Atropurpurea. A dark al- | | |
| most red brilliant variety | | • |
| of Subulata. May. Very distinct | 1 50 | 12.00 |
| *-Fairy, pretty little rock | 1.00 | 12.00 |
| plant; pale blue flowers, | | |
| slow grower | 1.00 | 8.00 |
| *-G. F. Wilson, bright lilac, | | |
| one of the best of its col- | | |
| or | 1.00 | 8. 00 |
| *—Lilacina, fast growing lilac, | 00 | 7 00 |
| blue flowers | .90 | 7.00 |
| *—Rosea, splendid carpeting plant, rose purple flowers | | |
| in spring | .75 | 6.00 |
| *-Vivid, beautiful deep pink | | |
| flowers, best of the pinks; | | |
| slow grower | 1.50 | 12. 00 |
| PHLOX SPECIES | | |
| *Divaricata-Canadensis, fine | | |
| native phlox, for shady | | |
| places, lilac blue flowers | 4 | • • • • |
| in May-June | 1.00 | 8.00 |
| *—Ovata-Carolina, 10 to 12 in., | | |
| bright rosy red flowers in June-July | 1.00 | 8.00 |
| —Suffruticosa Miss Lingard, | 2.00 | 0.00 |
| the well-known Summer | | |
| Phlox, early white, small | | |
| pink eye | .75 | 6.00 |
| PHYSALIS—Chinese Lantern | | |
| -Francheti, 18 to 24 in., scar- | | |
| let lantern-like fruit, when | 05 | F 00 |
| cut will last all winter | .65 | 5.00 |
| PHYSOSTEGIA—False Dragon | | |
| Head | | |
| —Virginica Grandiflora vivid, | | |
| 15 to 18 in., large deep pink flowers, splendid for | | |
| cutting, August-September | .90 | 7.00 |
| PLATYCODON—Balloon | | |
| Flower | | |
| -Grandiflorum, 18 to 24 in., | | |
| large blue flowers, blooms | | |
| in midsummer | .75 | 6.00 |
| —Grandiflorum Album, a good | | 0.00 |
| white form of the above. | .75 | 6. 00 |
| *—Mariesi, 12 to 15 in. dwarf form of the above varie- | | |
| ties; a good rock plant, | | |
| blue flowers | .90 | 7.00 |
| *Mariesi Album, white flow- | | |
| ers | .90 | 7.00 |
| PLUMBAGO | | |
| *-Larpentae, splendid late | | |
| summer and early fall | | |
| flowering plant, with pret- | | |
| ty shade of blue flowers about 1 ft. high | 1.25 | 10.00 |
| | 0 | _0,00 |

| POLEMONIUM—Greek Valerian | Per 10 | Per 100 |
|---|------------------------|---------------|
| *—Caeruleum. Jacobs Ladde | r. | |
| Blue flowers with golde | $\mathbf{e}\mathbf{n}$ | |
| center. 18 inches. May an | | |
| June. Likes sun | | 8.00 |
| | | |
| *—Caeruleum Album, 12 to | | |
| in., white flowers Apr | 75 | 6.00 |
| | | 0. 00 |
| *—Reptans, about 6 ins. hig | | |
| pretty blue flowers in ea | r- | |
| ly Spring, likes shad | | 10.00 |
| places | | 10.00 |
| *-Richardsoni, pretty dwa | rf | |
| blue variety, June flower | r- | |
| ing | 1.00 | 8.00 |
| POTENTILLA—Cinquefoil | | |
| | 1,,, | |
| *—de Matsumurea. Extreme | | |
| low, intense yellow bloom lovely rock plant. Maj | | |
| June. 2 to 3 inches, lik | | |
| sun | | 10.00 |
| *—Hybrid, single mixed | 1.00 | 8.00 |
| - | | 0.00 |
| *—Nepalensis Formosa, show | | |
| bright rose flowers a summer | | 6.00 |
| | | 0.00 |
| *—Rupestris. Clusters of whi | | |
| flowers. An effective roo | | |
| plant. Geum like bloom | | |
| Leaves resemble strawbery. 6 to 12 inches. Jul | | |
| Likes sun | | 8.00 |
| | | |
| PRIMULA—Hardy Primrose | _ | |
| *—Auricula Giants hybrid | | |
| charming plant prett | | |
| golden yellow flowers | | 10.00 |
| early spring | | 12.00 |
| *—Auricula Kelway's Shov | | |
| Border, charming mixtu | \mathbf{re} | |
| or large flowered variet | | |
| Many pretty shade | | 15.00 |
| about 8 in. high | | 10.00 |
| *—Barr's Exhibition Red. | | |
| fine variety of red flower | | 46.00 |
| April-May. Likes shade | 1.75 | 15. 00 |
| *—Bulleyana, 12 to 15 in. bea | | |
| tiful orange yellow flower | | |
| in early summer | 1.75 | 15.00 |
| *—Denticulata cachemiriana, | | |
| 15 to 20 in., nice light lil | | |
| flowers in early spring. | | 15.00 |
| *—Denticulata cachemiriana | al- | |
| ba, white form of t | he | |
| above | 1.75 | 15.00 |
| *-Florindae, a new Chine | se | |
| species, very robust, gro | | |
| ing about 12 in. tall wi | an | |
| butter yellow flowers | | 12.00 |

| —Japonica mixed | | Per 100 12.00 |
|--|------|------------------|
| *—Veris Blue. A rare blue | | |
| primrose, one of the most unusual and prettiest of all. 6 inches. Blooms April-May. Likes shade | 4.00 | 35.00 |
| —Veris elatior, True Continental Oxlip. Clear yellow | | |
| flowers | 1.25 | 10.00 |
| *-Veris Hybrids, many colors. | 1.25 | 10.00 |
| *-Veris polyantha Gold Laced, selected from mottled and bicolor types of Polyan- tha. A fine mixture of colors; about 1 ft. high | | 10.00 |
| *—Veris polyantha Munstead | | |
| Giants, a fine mixture, large flowers *—Veris Yellow. A remarkable new strain showing a deep | 1.50 | 12.00 |
| burnt orange color | 1.50 | 12.00 |
| *—Vulgaris or Acaule, pale yellow flowers in April-May, very nice. | | 15.00 |
| vorg misse. | | 20,00 |
| PYRETHRUM—Painted Daisy —Grandiflorum —James Kelway, a very fine | .90 | 7.00 |
| strain, large single red | 1 95 | 10.00 |
| RUDBECKIA—Coneflower —Newmanni—Perennial Black Eyed Susan, 2 to 3 ft., orange yellow flowers —Purpurea Purple Coneflower | .75 | 6.00 |
| See Echinacea purpurea SALVIA—Hardy Sage —Pitcheri, large flowers of | | |
| rich gentian blue, 3 to 4 ft. high, branching habit | 1.00 | 8.00 |
| —Pratensis, about 18 ins. tall, blue flowers in June | .90 | 7.00 |
| SANTOLINA—Lavender Cotton *—Incana, pretty silver white foliage, fine for border and | | 2.22 |
| edging | .75 | 6.00 |
| *-Ocymoides Splendens, a good low plant for border or rockery, pretty rose pink flowers in spring | .90 | 7.00 |
| *-Macnabiana. Splendid for wall or crevices. Foliage gray green in form of rosette flowers, which are speckled with pink. Par- | | |
| tial shade | 1.75 | 15.00 |

| SCABIOSA—Pin-Cushion. | Per 10 | Per 100 |
|--|----------------------|--------------|
| -Japonica. Lavender blu flowers, from July to Sep | | |
| tember. 2 ft. high. Like | | |
| sun | | 12.00 |
| -Caucasica. Slender gracefu | 1 | |
| stems. Colors range from | | |
| deep to mauve lavender $2\frac{1}{2}$ ft. high. July. Like | | |
| the sun | | 12.00 |
| SEDUM-Stone Crop | | |
| *—Acre, the well-known golde | n | |
| moss with green foliag | е | |
| and bright yellow flowers | | 6. 00 |
| *-Album, nice foliage an | d | |
| pretty white flowers i summer. | n 75 | 6.00 |
| *—Alpinatum, 3 in. potted only | | 0.00 |
| a pretty variety of thic. | | |
| waxy foliage and re | \mathbf{d}_{\cdot} | 40.00 |
| stems with pink flowers | 1.25 | 10.00 |
| -Anglicum. Small minut | | |
| green foliage, flower | | |
| pink. June-July. Like sun. | | 10.00 |
| | | |
| —Dasyphyllum, tiny littl Sedum with grayish-blu | e e | * |
| foliage and tiny whit | е | |
| flowers in summer | . 1.25 | 10.00 |
| -Glaucum, pretty fine bluis | h | |
| foliage, white flowers, d | 0 | |
| not plant in heavy we ground. | | 8.00 |
| `` | | |
| — Hispanicum. Glaucus foliag pink flowers, barre | e n | , |
| stems. Like sun | | 10.00 |
| Kamtschaticum, 4 to 6 in | | |
| orange yellow flower | 3, | |
| July-August, splendid va | | 7.00 |
| riety | | 7.00 |
| Linear Variety. Light gree | n. | |
| foliage. Flowers yellow barren stems. July. Like | s S | |
| sun | | 10.00 |
| —Lydium, same as Glaucui | n | |
| with pretty bright gree | n | |
| foliage and pink flowers | . .9 0 | 7.00 |
| -Reflexum, a variety of th | | |
| Rupestris, upright bluis | h | |
| green foliage in summer bronze green in winter | ·, | |
| very nice | | 6.00 |
| -Rupestris, same as the abov | e | , |
| only it is trailing, wit | h | |
| upright light yellow flow | r- | |
| ers in summer, evergree and very showy foliage. | 75 | 6.00 |
| • · · · · · · · · · · · · · · · · · · · | - | |

| <u> </u> | | |
|--|-------|---------------|
| *—Sarmentosum, fast growing | er 10 | Per 100 |
| variety, trailing, one of the best to plant between stones | .75 | 6.00 |
| *—Sexangulare, 4 in., compact with yellow flowers | .75 | 6.00 |
| *—Sieboldi, large bluish foliage, bright pink flowers in September and October, very pretty plant | 1.25 | 10.00 |
| -Spectabile, showy stone crop, very showy perennials, for early fall blooming, 15 to 18 ins. tall, showy pink flowers | .75 | 6.00 |
| —Spectabile Brilliant, brilliant red flowering variety of the above. | 1.00 | 8.00 |
| -Spectabile variegata, variegated foliage and pink flowers | 1.00 | 8.00 |
| *—Spurium Coccineum, fast spreading variety, rosy crimson flowers, bronze foliage, a good ground cover. | .75 | 6.00 |
| *—Spurium Hybridum. Various shades of pink to white in July. 4 to 6 inches. Rapid grower. Likes sun. | 1.00 | 8.00 |
| *—Spurium Pink, a lovely shade of pink in this new variety | .75 | 6.00 · |
| *—Spurium Album, pretty white flowers, a new variety in great demand | .75 | 6.00 |
| *—Stoloniferum, 4 to 6 in., purplish pink flowers, July-August | .90 | 7.00 |
| *—Ternatum, fine sedum for shady places, white flowers in May and June | 1.00 | 8.00 |
| *—Alpha. Neat rosette pink bloom | 1.25 | 10.00 |
| Houseleek, 6 in., small tight rosettes, caressed by soft, silky webs; bright crimson flowers *—Arenarium, 2 in., green ros- | 1.25 | 10.00 |
| ettes which change to deep brownish red in autumn; pale yellow flowers | 1.00 | 8.00 |
| *—Brauni, 2 in., dark green fo- liage and red flower | 1.00 | 8.00 |

| P- *—Doellianum, 2 in., small hairy | er 10 | Per 100 |
|---|-------|---------|
| rosettes of pale green leaves tinted red at the tips with cheerful, bright red flowers, very hand- | | |
| som when massed together | 1.00 | 8.00 |
| *—Fauconetti, 4 to 6 in., tiny rosettes, with red flowers | 1.25 | 10.00 |
| *—Fimbriatum, 6 to 10 in., tips of the leaves crowned with tufts of hairs; flowers bright red | 1.00 | 8.00 |
| *—Globiferum, rosettes rather fat, about 2 ins. in diameter, bearing pale yellow flowers | .90 | 7.00 |
| *—Juratense, rare, about 1 in., small dainty | | 12.00 |
| *—La Harpei, rare, 2 in., fine rosettes and yellow flowers | | 12.00 |
| *—Pomelli, rare, 2 in., leaves tipped handsomely with brownish red | 1.00 | 8.00 |
| *-Ruthenicum, rare, 1 to 2 in., rosettes dark, dull green. | 1.25 | 10.00 |
| *-Tectorum, large rosettes about 3 to 4 inches across, familiar red flowers; easy to grow | .65 | 5.00 |
| SIDALCEA—Greek Mallow -Rosy Gem, 2 to 3 ft., rose pink flowers in June-July. | .75 | 6.00 |
| **-Alpestris, 6 to 8 in. pretty pure white flowers, May- June flowering, very nice little plant for partial | 1.00 | 8.00 |
| *—Maritima. Bluish tinted foliage plant. 1 ft. White | | 10.00 |
| *-Schafta, 4 to 6 in., pretty bright pink flowers, July to fall. | | 8.00 |
| SPIREA—Goats Beard | | |
| —American-Astilbe, well-known for forcing and good plants for moist shady places in the garden, 18 to | | |
| 24 in., pale pink flowers | 1.50 | 12.00 |
| —Filipendula, showy white flowers in June-July, about 15 to 18 in. tall | 1.00 | 8.00 |

| | Per 100 |
|---|--------------|
| *—Lanata, about 4 ins., a real- ly fine old fashioned gar- den plant with soft sil- | |
| very foliage, at home in the rock garden or for edging90 | 7.00 |
| STATICE—Sea Lavender | 1.00 |
| *—Incana. Purplish blue. July- | |
| August. 10 to 12 inches. Likes sun 1.25 | 10.00 |
| *—Latifolia, 15 to 18 in. purplish blue flowers, July-August, when cut and dried will last long time 1.00 | 8.00 |
| STOKESIA—Stokes Aster | |
| -Alba, white flowers on 18 inch stems 1.00 | 8.00 |
| —Cyanea, beautiful large light | |
| blue flowers, summer flowering, 18 to 24 in. tall 1.00 | 8.00 |
| THALICTRUM—Meadow Rue —Aquilegifolium, 2 to 3 ft.; | |
| rosy purple flowers, June- | • • • |
| July 1.00 —Minus-Adiantifolium, about | 8. 00 |
| 2 ft. high, pretty foliage and cream white flowers. 1.00 | . 8.00 |
| THERMOPSIS | |
| —Caroliniana, about 4 ft. high, yellow flowers in June; | |
| very attractive 1.00 | 8.00 |
| THYMUS—Thyme *—Citriodorus – Lemon Thyme, | |
| very good variety for the | |
| rock garden, evergreen foliage, lilac purple flow- | |
| ers in July 1.00 | 8.0 0 |
| *—Lanuginosus, woolly foliage and bright pink flowers, | |
| summer flowering 1.25 | 10.00 |
| *—Serpyllum, 10 to 12 in. fine rock plant, effective in | |
| bloom and out of bloom. 1.25 | 10.00 |
| *—Serpyllum coccineus, cherry red flowers, very effective. 1.00 | 8.00 |
| —Vulgaris rosea. Pale gray foliage. Pink flowers. May | |
| and June. Good as spice for seasoning. Likes sun. 1.25 | 10.00 |
| TRITOMA—Red Hot Poker | |
| —Hardy Hybrids, very hardy, many shades 1.00 | 8.00 |
| TROLLIUS—Globe Flower | |
| *—Europaeus Hybrids, fine plants for moist and shady | |
| places, in bloom May-July 1.75 | 15.00 |

| Pe *— Hybridus Mixed, a mixture | r 10 | Per 100 |
|---|------|--------------|
| of fine hybrids showing | | |
| a splendid range of or- | | |
| auge and yellow shades | 1.50 | 12.00 |
| | | |
| *-Ledebouri, Golden Queen, 2 | | 40.00 |
| ft. high, flowers yellow | 2.50 | 18.00 |
| | | |
| TUNICA—Coat Flower | | |
| *-Saxifraga, 6 to 8 in., pretty | | |
| light pink flowers all sum- | | |
| mer, another good rock | | |
| plant | .75 | 6. 00 |
| | | |
| VALERIANA—Garden | | |
| Heliotrope | | |
| *—Coccinea, very showy plants, | | |
| about 18 in. tall, rose pink | | |
| flowers all summer | .75 | 6.00 |
| * Consinue Albe hite form | | |
| *—Coccinea Alba, white form of the above | .75 | 6.00 |
| or the above | .70 | 0.00 |
| -Officinalis, 3 to 4 ft., pink- | | |
| ish white flower in large | | |
| heads, June-July | .75 | 6.00 |
| | | |
| VERBASCUM—Mullein | | |
| *-Miss Willmott Hybrids, ex- | | |
| tra large full spikes of | | |
| yellow and white flowers. | .75 | 6.00 |
| y card w tolled water to the card | **** | |
| *—Phoeniceum Hybrids, dwarf | | |
| growing biennial, pretty | | |
| flower spikes in many col- | | 0.00 |
| ors | .75 | 6. 00 |
| VERONICA—Speedwell | | |
| | | |
| A large family of plants suit- | | N. |
| able for all purposes and they are very easy to grow. | | |
| are very easy to grow. | | |
| *—Elegans, 15 to 18 ins. tall, | | |
| light pink flowers, June- | | |
| July. | 1.25 | 10.00 |
| *-Erica rosea, 10 to 12 in. | | |
| pretty pink flowers, June- | | |
| July | 1.25 | 10.00 |
| • | _, | _0,00 |
| *—Incana, 12 to 15 in., beauti- | • | |
| ful blue flowers and sil- | 4.00 | |
| very foliage | 1.00 | 8.00 |
| -Longifolia Subsessilis, on e | | |
| of the best blue flowering | | |
| plants for the hardy bor- | | |
| der about 21 in. high, | | |
| July-September | 1.25 | 10.00 |
| | | |
| -Orchidea, about 2 ft., very | | |
| handsome with clear blue | | |
| flowers in profusion; a | | |
| hardy variety from the Balkans, | 1.50 | 12.00 |
| Dalkans, | 1.00 | 12.00 |

| · · · · · · · · · · · · · · · · · · · | | |
|---|--------------|---------|
| *—Prostrata, dwarf, close | Per 10 | Per 100 |
| growing with brilliant blue flowers. | 1.50 | 12.00 |
| *—Repens. Creeping speedwell. Small clumps of very dwarf foliage, pale blue flowers. April and May. Likes sun | 1. 50 | 12.00 |
| *—Royal Blue, another fine veronica for the rock garden or border, 10 to 12 in., June-July flowering | 1.00 | 8.00 |
| *—Rupestris, fast spreading bright blue flowers, about 4 in. tall, June flowering. | 1.00 | 8.00 |
| *—Rupestris Flexusa, creeping plant, pale blue flowers, April and May | 1.25 | 10.00 |
| *—Rupestris Nana, pretty lit- tle plant deep gentiana blue flowers, late April and May flowering, a slow growing variety. | 1.75 | 15.00 |
| *—Rupestris Nana Rosea, faster growing form of the above with beautiful mauve rose flowers. | 1.25 | 10.00 |
| —Spicata, Spike Speedwell, 2 ft. lavender blue flowers, June-July | .75 | 6.00 |
| *—Spicata Rosea, 15 to 18 in. pretty pink flowers, all summer | 1 .25 | 10.00 |
| *—Spuria (amethystina) about 12 in. high, blue flowers in long racemes in June and July | 1.00 | 8.00 |
| *—Teucrium, fine border or rock plant with blue flowers, about 2 ft. tall | .75 | 6.00 |
| *—True Blue, 10 to 12 in. blue flowers, June-July | 1.25 | 10.00 |
| VIOLA CORNUTA— Tufted Pansies | | |
| *—Admiration, continuous rosy purple blooms | | 8.00 |
| *—Apricot, rich apricot, orange tinged center | | 10.00 |
| *—Blue Perfection, bright blue flowers | 1.00 | 8.00 |
| *—Cyclops, reddish-purple, white eye | 1.00 | 8.00 |

| Pe | e r 10 | Per 100 |
|---|---------------|---------|
| *-Floraire, splendid rock gar- | | • |
| den plant, pale blue flow- | | • |
| ers in bloom spring to fall | .90 | 7.00 |
| | | 1100 |
| *—G. Wermig, rich violet-blue | | |
| flowers in profusion all | 1.00 | 8.00 |
| summer | 1.00 | 0,100 |
| *-Gracilis, charming for the | | |
| rock garden or border, | | |
| rich purple flowers all summer, of tufted habit | 90 | 7.00 |
| · | .00 | 7.00, |
| *—Gracilis Lord Nelson, good | | |
| bloomer, very rich in color | 1.00 | 8.00 |
| *-Jersey Gem, fine bedding | | |
| viola, violet blue flowers. | 1.25 | 10.00 |
| · · | | |
| *—Jersey Gem, white, good white of the above | 1.05 | 10.00 |
| white of the above | 1.20 | 10.00 |
| *-Jersey Jewell, large deep | | |
| purple flowers in bloom | | |
| from spring to fall. A very great improvement | | |
| on Jersey Gem | 1.00 | 8.00 |
| on sersey dem | 1.00 | 0.00 |
| *—King Cup Yellow, good clear | | |
| yellow | 1.00 | 8.00 |
| *-Lady Haslemere, flowers li- | | |
| lac-pink in great abun- | | |
| dance, very neat habit | 1.00 | 8.00 |
| | | |
| *—Lord Beaconsfield, dark lav- | | |
| ender upper petals, creamy white lower petals, with | | |
| blue lines in the center. | | |
| Very unique | 1.00 | 8.00 |
| • | | |
| *—Lutea Splendens, golden yel- | 1 00 | 9.00 |
| low flowers | 1.00 | 8.00 |
| *-Mauve Queen, 6 in. high, | | |
| pale mauve flowers all | | |
| summer | 1.00 | 8.00 |
| *-Rosea, attractive rose flow- | | |
| ers | 1.00 | 8.00 |
| • | | |
| Woodgate. Violet blue, blooms all summer. Likes | | |
| sun | 1.25 | 10.00 |
| | | |
| VIOLET | | |
| -Canadensis. Native violet. | | |
| 6 inches. Shade | 1.25 | 10.00 |
| *—Prince of Wales | 1.25 | 10.00 |
| | | |
| YUCCA | | |
| —Filamentosa, 3 year plants | .75 | 6.00 |
| -Glauca, a very good variety | | |
| with large, white flower | | |
| spikes | 1.25 | 10.00 |
| | | |

Lining Out Stock

Evergreens

X—Once transplanted.
XX—Twice transplanted.

| CHAMAECYPARIS | Per 100 Per 1000 |
|---|----------------------------|
| Obtusa nana (Dwarf Hinoki Cyp 1 yr. 4 to 6 in. grafts X | • |
| 3 yr. 8 to 10 in. grafts XX | |
| Obtusa crippsi (Cripp's Golden C 1 yr. 10 to 12 in. grafts X 3 yr. 12 to 15 in. grafts XX | 22.00 |
| Obtusa gracilis (Slender Hinoki 2 yr. 10 to 12 in. grafts XX | • – |
| Obtusa (Hinoki Cypress) 25 ¹ -35' 3 yr. sdlgs. 10 to 12 in | |
| Obtusa youngi (Golden Drooping 1 yr. 10 to 12 in. grafts X | |
| JUNIPERUS (Juniper) | |
| Chinensis pfitzeriana (Pfitzer) 5'- | |
| From 21/4 in. pots | |
| Communis depressa plumosa (An From 21/4 in. pots | dorra) 3'-4' 5.00 40.00 |
| Communis hibernica (Irish) 10'- From 21/4 in. pots | |
| Excelsa stricta (Spiny Greek) 4' From 21/4 in. pots | |
| Sabina (Savin) 6'-7' From 2 ¹ / ₄ in. pots | 7.00 |
| Sphaerica (Fortunei) 20'-30' 1 yr. 8 to 10 in. grafts | 22.00 |
| Virginiana pendula (Weeping I 2 yr. 10 to 12 in. grafts | • |
| PICEA (Spruce) | |
| Canadensis (White) 50'-60' | |
| 3 yr. sdlgs. 4 to 6 in | 2.50 18.00 5.00 |
| 4 yr. sdlgs. 6 to 8 in. X | 7.5 0 |
| Excelsa (Norway) 80'-100' 3 yr. sdlgs. 8 to 10 in | 4.00 30.00 |
| Pungens glauca (Colorado Blue) | |
| 3 yr. sdlgs. 4 to 6 in | 3.00 20.00 |
| 3 yr. sdlgs. 4 to 6 in. X 3 yr. sdlgs. 6 to 8 in. X | 5.00 40.00 7.00 60.00 |
| · | |

| Per 100 Pungens kosteri (Koster Blue) 60'-80" 2 yr. 10 to 12 in. grafts 45.00 3 yr. 12 to 15 in. grafts X hvy 60.00 | Per 1000 |
|--|----------------|
| PINUS (Pine) Banksiana (Jack) 60'-70' | |
| 4 yr. sdlgs. 2 to 3 ft 6.00 | 50.00 |
| Montana mughus (Mugho) 3'-4' 3 yr. sdlgs. 8 to 10 in | 35.00 · |
| Sylvestris rigensis (Riga) 30'-40' 5 yr. sdlgs. 2 to 3 ft 10.00 | |
| PSEUDOTSUGA douglasi glauca (Blue Do | ouglas-fir) |
| 3 yr. sdlgs. 8 to 10 in 8.50 | |
| TAXUS (Yew) | |
| Baccata (English) 15'-20' 2 yr. 8 to 10 in. X 12.00 | |
| Brevifolia nana (Dwarf) $4'-6'$ From $2\frac{1}{4}$ in. pots 10.00 | |
| Cuspidata (Japanese Spreading) 10'-15' From $2\frac{1}{4}$ in. pots 7.00 | |
| 2 yr. 8 to 10 in. X | |
| Media hicksi (Columnar) 10'-15' From 2 ¹ / ₄ in. pots 10.00 | |
| THUJA (Arborvitae) | |
| Occidentalis (American) 20'-30' 3 yr. sdlgs. 6 to 8 in. 3.00 3 yr. sdlgs. 8 to 10 in. 4.50 | 20.00 35.00 |
| Occidentalis compacta (Parson's) $3'-5'$ From $2\frac{1}{4}$ in. pots 6.50 | 35.00 |
| Occidentalis globosa (Globe) 3'-4' From 21/4 in. pots 6.00 | 50.00 |
| Occidentalis hoveyi (Hovey) $3'-4'$ From $2\frac{1}{4}$ in. pots 6.00 | 50.00 |
| Occidentalis reidi (Reid) 4*-5'. From 2½ in. pots 5.00 | 60.00 |
| Occidentalis wareana (Siberian) 12'-15' From 21/4 in. pots 6.00 | 50.00 |
| Orientalis aurea nana (Berckman's Gol 1 yr. 8 to 10 in. grafts 20.00 | |
| TSUGA (Hemlock) Canadensis microphylla (Small-leaved (| Canadian) |
| 40'-50' 1 yr. 4 to 6 in. grafts X 18.00 | |
| Diversifolia (Japanese) 40'-50' 2 yr. 6 to 8 in. grafts X 22.00 | |
| Sargenti (Sargent) 4'-5' 1 yr. 4 to 6 in. grafts X 20.00 | |

Lining Out Evergreen Shrubs

| Pe | r 100 Per 1000 |
|--|----------------------|
| ABELIA GRANDIFLORA (Glossy A 21/4 in. pots | belia) 4'-6' 5.00 |
| AZALEAS 3'-4' | |
| From 21/4 in. pots for Spring only | • |
| | 7.00 |
| Coral Bells-Coral pink, deeper | |
| ± , = | 0.00 |
| Double Salmon—Salmon pink 10 | 0.00 |
| _ | 0.00 |
| | 6.00 |
| | 8.00 |
| | 9.00 |
| | 0.00 |
| | 2.00 |
| | 0.00 |
| Morning Glow—rose pink, cen- | |
| | 9.00 |
| _ | 7.00 |
| Pink Pearl—salmon-rose, light- | |
| , , | 8.00 |
| Single Salmon Pink—salmon pink 10 | 0.00 |
| Vesuvius-Dark reddish orange. 19 | 2.00 |
| BERBERIS (Barberry, evergreen kinds) from Rooted Cuttings. Julianae (Wintergreen) 5'-6' 2 yr. 6 to 8 in. X | 5.00 |
| Verruculosa (Warty) 3'-4' | 5.00 |
| 2 yr. 6 to 8 in. X 19 | |
| BUXUS sempervirens suffruticosa (T English Boxwood) 5'-8' | |
| ' 1 / | 8.00 60.00 5.00 |
| • | 0.00 |
| · | |
| COTONEASTER Horizontalis 21/4 in. pots | 5.00 |
| 7.1 | 3.00 |
| ILEX (Holly) Crenata (Japanese) 10'-12' | |
| 4 yr. 6 to 8 in. X 19 | 2.00 |
| Crenata microphylla (Little Leaf Ja | |
| | 5.00 |
| Opaca (American) 40'-50' 2 yr. 10 to 12 in. grafts X 20 | 0.00 |
| LEUCOTHOE catesbaei (Drooping) 3 | '-4' |
| | 0.00 |
| | 2.00 5.00 |
| 12 to 15 in. X | 5.00 |
| LIGUSTRUM lucidum (Glossy Everg | green Privet) |
| | 3.0 0 |
| 2 yr. 6 to 8 in. X 19 | 2.00 |

| DEATEONTA - maissalines (Omana | Per 100 Per 1000 |
|--|---------------------|
| MAHONIA aquifolium (Oregon 2 yr. sdlgs. 4 to 6 in | 6.00 |
| 3 yr. sdlgs. 6 to 8 in PIERIS japonica (Japanese And | |
| 3 yr. 4 to 6 in. X | 1 5.00 |
| 3 yr. 6 to 8 in. X 4 yr. 8 to 10 in. XX | 20.00 |
| PYRACANTHA coccinea laland thorn) 10'-15' | |
| From 4 in. pots From 5 in. pots | |
| Lining Out De | eciduous |
| Trees | |
| ACER (Maple) Palmatum (Japanese) 12'-15' | Per 100 Per 1000 |
| 4 yr. sdlgs. 12 to 15 in | 6.50 |
| Palmatum atropurpureum (B 8'-10' | Bloodleaf Japanese) |
| 1 yr. 6 to 8 in. grafts X 3 yr. 10 to 12 in. grafts X. | |
| Pennsylvanicum (Moosewood 3 yr. sdlgs. 12 to 15 in | |
| Rubrum (Red) 60'-80' | |
| 4 yr. sdlgs. 3 to 4 ft 5 yr. sdlgs. 4 to 5 ft | |
| Saccharum (Sugar) 60'-100' 4 yr. sdlgs. 2 to 3 ft 5 yr. sdlgs. 3 to 4 ft | |
| AESCULUS hippocastanum (Ho | ŕ |
| 4 yr. sdlgs. 18 to 24 in | |
| BETULA alba (European White 1 yr. sdlgs. 2 to 4 in | |
| CERCIDIPHYLLUM japonicum 70'-80' | ı (Katsura-tree) |
| 4 yr. sdlgs. 2 to 3 ft | 6.00 |
| CERCIS (Red Bud) Canadensis (American) 20'-25 1 yr. sdlgs. 4 to 6 in | |
| Chinensis (Chinese) 10'-12' | 5.00 |
| 1 yr. sdlgs. 4 to 6 in | |
| CORYLUS avellana (Filbert) 1 4 yr. sdlgs. 4 to 5 ft | |
| FRAXINUS excelsior (Europea 1 yr. sdlgs. 8 to 10 in | |
| GINKGO biloba (Maidenhair-tr 1 yr. sdlgs. 4 to 6 in | |
| KOELREUTERIA paniculata (25'-30' | (Goldenrain-tree) |
| 2 yr. sdlgs. 18 to 24 in 3 yr. sdlgs. 2 to 3 ft 4 yr. sdlgs. 4 to 5 ft | 12.00 |
| | |

| WESTMINSTER, MARYLAND | | 05 |
|---|-------------------|--------|
| • | er 100 Pe | r 1000 |
| LABURNUM vulgare (Goldenchain | - | 1 1000 |
| 1 yr. sdlgs. 6 to 8 in | 5.00 | 40.00 |
| 2 yr. sdlgs. 8 to 10 in | 6.00 | 50.00 |
| 3 yr. sdlgs. 10 to 12 in | 8.00 | 70.00 |
| LARIX leptolepsis (Japanese Larch |) 50'-60 ' | |
| 3 yr. sdlgs. 18 to 24 in | 10.00 | |
| 4 yr. sdlgs. 2 to 3 ft | 14.00 | |
| MAGNOLIA | | |
| Kobus (Kobus) 20'-30' | | |
| 3 yr. sdlgs. 6 to 8 in | 4.00 | |
| Soulangeana (Saucer) 18'-20' | | |
| 3 yr. 12 to 15 in. grafts | 45.00 | |
| PHOTINIA villosa (Christmasberry |) 12'-15' | |
| 1 yr. sdlgs. 4 to 6 in | 5.00 | |
| QUERCUS (Oak) | | |
| Coccinea (Scarlet) 75'-90' | | |
| 4 yr. sdlgs. 2 to 3 ft | 10.00 | |
| Macrocarpa (Mossycup) 75'-80' | | |
| 4 yr. sdlgs. 3 to 4 ft | 10.00 | |
| Palustris (Pin) 75'-90' | | |
| 4 yr. sdlgs. 2 to 3 ft | 7.00 | |
| TAXODIUM distichum (Common Ba | aldcypress | s) |
| 1 yr. sdlgs. 4 to 6 in | 5.00 | |
| 3 yr. sdlgs. 2 to 3 ft | 7.00 | |
| TILIA vulgaris (Common Linden) | 70′-90′ | |
| 3 yr. sdlgs. 2 to 3 ft | 7.00 | |
| ULMUS americana (American Elm) | 80'-100' | |
| 1 yr. sdlgs. 2 to 4 in | .40 | 3.00 |
| 2 yr. sdlgs. 8 to 10 in | .65 | 5.00 |
| 3 yr. sdlgs. 12 to 18 in | .75 | 6.50 |
| 4 yr. sdlgs. 2 to 3 ft | 1.50 | 12.00 |
| | | |
| Lining Out Deca | iduo | us |
| Shrubs | | |
| SITUDS | | |
| AZALEAS (Deciduous kinds) Mollis (Chinese) 4'-6' | Per 100 P | er1000 |
| 2 to 4 in. sdlgs | 2.00 | 16.00 |
| 2 to 4 in. X | 3.00 | 20.00 |
| 3 yr. 6 to 8 in. X | 6.00 | 50.00 |
| Schlippenbachi (Royal) 12'-15' | | |
| 1 yr. sdlgs. 2 to 3 in | 3.00 | |
| COLUTEA arborescens (Common B | ladder-ser | ına) |
| 10'-12' 3 yr. sdlgs. 4 to 5 ft | 5.00 | 40.00 |
| , , , , , , , , , , , , , , , , , , , | 2.00 | 20,00 |

CORONILLA emerus (Scorpion-senna) 7'-9' 4 yr. sdlgs. 15 to 18 in. 3.50

| $\operatorname{Per} 100 \ \operatorname{Per} 1000$ |
|--|
| CYTISUS scoparius (Scotch Broom) 4'-6' 4 yr. sdlgs. 4 to 5 ft 12.00 |
| DIOSPYROS virginiana (Common Persimmon) 12'-16' |
| 1 yr. sdlgs. 10 to 12 in 5.00 |
| ENKIANTHUS campanulatus (Redvein) 15'-20' 3 yr. 10 to 12 in. X 8.00 70.00 |
| EXOCHORDA grandifiora (Common Pearlbush) 6'-9' 4 yr. sdlgs. 3 to 4 ft 7.50 |
| LIGUSTRUM ovalifolium (California Privet) 10'-15' Per Per |
| Cuttings tied 200 to bunch cut 9 in. long. Orders must be received before Decem- |
| ber 1st 2.50 20.00 |
| MERATIA praecox (Wintersweet) 8'-12' 1 yr. sdlgs. 4 to 6 in 3.00 |
| VIBURNUM lantana (Wayfaring-tree) 14'-16' 3 yr. sdlgs. 2 to 3 ft 5.00 |
| VITEX agnus-castus (Lilac Chaste-tree) 4'-5' 1 yr. sdlgs. 10 to 12 in 3.00 27.50 |
| |
| Lining Out Vines |
| Per 100 Per 1000 |
| |
| Per 100 Per 1000 AKEBIA quinata (Fiveleaf) 15'-20' 2 yr. sdlgs. 10 to 12 in 10.00 80.00 |
| Per 100 Per 1000 AKEBIA quinata (Fiveleaf) 15'-20' 2 yr. sdlgs. 10 to 12 in 10.00 80.00 HEDERA (Ivy) Baltica (Hardy Baltic) 25'-30' |
| Per 100 Per 1000 AKEBIA quinata (Fiveleaf) 15'-20' 2 yr. sdlgs. 10 to 12 in 10.00 80.00 HEDERA (Ivy) Baltica (Hardy Baltic) 25'-30' From 2\frac{1}{4} in. pots, short 7.00 |
| Per 100 Per 1000 AKEBIA quinata (Fiveleaf) 15'-20' 2 yr. sdlgs. 10 to 12 in 10.00 80.00 HEDERA (Ivy) Baltica (Hardy Baltic) 25'-30' |
| Per 100 Per 1000 AKEBIA quinata (Fiveleaf) 15'-20' 2 yr. sdlgs. 10 to 12 in 10.00 80.00 HEDERA (Ivy) Baltica (Hardy Baltic) 25'-30' From 2½ in. pots, short 7.00 Coriacea (Korean) 4'-6' From 2½ in. pots, short 7.00 Helix (English) 60'-75' |
| Per 100 Per 1000 AKEBIA quinata (Fiveleaf) 15'-20' 2 yr. sdlgs. 10 to 12 in 10.00 80.00 HEDERA (Ivy) Baltica (Hardy Baltic) 25'-30' From 2½ in. pots, short 7.00 Coriacea (Korean) 4'-6' From 2½ in. pots, short 7.00 Helix (English) 60'-75' From 2½ in. pots, short 5.00 40.00 Helix gracilis (Miniature) 75'-100' |
| Per 100 Per 1000 AKEBIA quinata (Fiveleaf) 15'-20' 2 yr. sdlgs. 10 to 12 in 10.00 80.00 HEDERA (Ivy) Baltica (Hardy Baltic) 25'-30' From 2½ in. pots, short 7.00 Coriacea (Korean) 4'-6' From 2½ in. pots, short 7.00 Helix (English) 60'-75' From 2½ in. pots, short 5.00 40.00 |
| Per 100 Per 1000 AKEBIA quinata (Fiveleaf) 15'-20' 2 yr. sdlgs. 10 to 12 in 10.00 80.00 HEDERA (Ivy) Baltica (Hardy Baltic) 25'-30' From 2½ in. pots, short 7.00 Coriacea (Korean) 4'-6' From 2½ in. pots, short 7.00 Helix (English) 60'-75' From 2½ in. pots, short 5.00 40.00 Helix gracilis (Miniature) 75'-100' 2 in. pots 15 to 18 in. runners, |
| Per 100 Per 1000 AKEBIA quinata (Fiveleaf) 15'-20' 2 yr. sdlgs. 10 to 12 in 10.00 80.00 HEDERA (Ivy) Baltica (Hardy Baltic) 25'-30' From 2½ in. pots, short 7.00 Coriacea (Korean) 4'-6' From 2½ in. pots, short 7.00 Helix (English) 60'-75' From 2½ in. pots, short 5.00 40.00 Helix gracilis (Miniature) 75'-100' 2 in. pots 15 to 18 in. runners, 1 yr 4.00 30.00 JASMINUM nudiflorum (Winter Jasmine) 4'-5' 2 yr. sdlgs. 10 to 12 in 5.00 POLYGONUM auberti (China Fleecevine or Silver |
| Per 100 Per 1000 AKEBIA quinata (Fiveleaf) 15'-20' 2 yr. sdlgs. 10 to 12 in 10.00 80.00 HEDERA (Ivy) Baltica (Hardy Baltic) 25'-30' From 2½ in. pots, short 7.00 Coriacea (Korean) 4'-6' From 2½ in. pots, short 7.00 Helix (English) 60'-75' From 2½ in. pots, short 5.00 40.00 Helix gracilis (Miniature) 75'-100' 2 in. pots 15 to 18 in. runners, 1 yr 4.00 30.00 JASMINUM nudiflorum (Winter Jasmine) 4'-5' 2 yr. sdlgs. 10 to 12 in 5.00 |
| Per 100 Per 1000 AKEBIA quinata (Fiveleaf) 15'-20' 2 yr. sdlgs. 10 to 12 in 10.00 80.00 HEDERA (Ivy) Baltica (Hardy Baltie) 25'-30' From 2½ in. pots, short 7.00 Coriacea (Korean) 4'-6' From 2½ in. pots, short 7.00 Helix (English) 60'-75' From 2½ in. pots, short 5.00 40.00 Helix gracilis (Miniature) 75'-100' 2 in. pots 15 to 18 in. runners, 1 yr 4.00 30.00 JASMINUM nudiflorum (Winter Jasmine) 4'-5' 2 yr. sdlgs. 10 to 12 in 5.00 POLYGONUM auberti (China Fleecevine or Silver Lace Vine) 40'-50' |

⁵ of a variety at 10 rate; 25 of a variety at 100 rate; 250 of a variety at 1,000 rate

Lining Out Perennial

Seedlings

| | $\mathbf{Per}\ 100$ | $\mathbf{Per}\ 1000$ |
|--|---------------------|----------------------|
| Achillea Ptarmica the Pearl | 1.25 | 10.00 |
| Aquilegia chrysantha | 1.00 | 8.00 |
| Aquilegia oxysephala | 1.25 | 10.00 |
| Bellis perennis | 1.00 | 8.00 |
| Campanula glomerata | 1.25 | 10.00 |
| Campanula Medium Single Blue | .75 | 6.00 |
| Campanula Medium Single Mixed | .75 | 6.00 |
| Campanula Medium Single Rose. | .75 | 6.00 |
| Centaurea macrocephala | 1.50 | 12.00 |
| Cerastium tomentosum | 1.25 | 10.00 |
| Cheiranthus allioni | 1.50 | 12.00 |
| Chrysanthemum mawii | 2.00 | 16.00 |
| Delphinium Cliveden Beauty (Bel- | | |
| ladonna Variety) | 1.25 | 10.00 |
| Delphinium grandiflorum chinense | 1.00 | 8.00 |
| Dianthus arenarius | 1.00 | 8.00 |
| Dianthus caesius | 1.00 | 8.00 |
| Dianthus deltoides albus | .75 | 6.00 |
| Gaillardia Dazzler | .75 | 6.00 |
| Geum Mrs. Bradshaw | 1.75 | 15.00 |
| Geum Lady Stratheden | 1.75 | 15.00 |
| Gypsophila repens | 1.25 | 10.00 |
| Hesperis matronalis purpurea | .75 | 6.00 |
| Hollyhock Chater's Double | .75 | 6.00 |
| Hollyhock Double Red | 1.00 | 8.00 |
| Inula ensifolia | .75 | 6.00 |
| Liatris pycnostachya | 1.00 | 8.00 |
| Lilium regale 2 yr. sdlgs | 2.00 | 16.00 |
| Lythrum roseum superbum | 1.25 | 10.00 8.00 |
| Myosotis palustris semperflorens | 1.00 | 6.00 |
| Oenothera speciosa | .75 .75 | 6.00 |
| Pansies Giant Swiss Papaver nudicaule | 1.50 | 12.00 |
| Pentstemon Blue Gem | 1.50 1.50 | 12.00 12.00 |
| Pyrethrum grandiflorum | 1.75 | 15.00 |
| Salvia azurea grandiflora | 1.75 | 10.00 |
| Saponaria ocymoides | 1.20 | 8.00 |
| Sweet William Holborn Glory | 1.00 | 8.00 |
| Sweet William Newport Pink | 1.00 | 8.00 |
| Sweet William nigrescens | .75 | 6.00 |
| Sweet William Scarlet Beauty | .75 | 6.00 |
| Thalictrum aquilegifolium | 1.50 | 12.00 |
| Tritoma Hybrids | 1.25 | 10.00 |
| Tunica saxifraga | 1.00 | 8.00 |
| Valeriana coccinea alba | 1.00 | 8.00 |
| Valeriana coccinea rubra | 1.25 | 10.00 |
| | | |

FRUIT TREES

APPLES

| 2 and 3 year buds assorted | Per 10 | $_{100}^{\mathrm{Per}}$ | \Pr_{1000} |
|---|-----------|-------------------------|--------------|
| First class $11/16$ to 1 in 5 ft. and up | | 27.50 | 250.00 |
| First class 9/16 to 11/16 | in. | | |
| 4 ft. and up First class 7/16 to 9/16 | | 22.50 | 200.00 |
| $3\frac{1}{2}$ ft. and up $\overline{\ldots}$ | 2.00 | 17.50 | 150.00 |
| First class 5/16 to 7/16 3 ft. and up | | 12.50 | 100.00 |
| o it. and up | 1.00 | 12.00 | 100.00 |

Varieties:

| Duchess Grimes Golden Hyslop Crab Maiden Blush | Monocacy M. B. Twig Jonathan Smoke House Stark Spitzenburg | Stayman's Winesap Wealthy Winter Banana Winter Paradise Yellow Transparent York Imperial |
|---|--|---|
| McIntosh | Spitzenburg | York Imperial |

APRICOTS on Peach

| 1 year old from buds | Per 10 | Per 100 |
|-----------------------------|--------|--------------|
| 9/16 to 11/16 in. 5 to 6 ft | 3.00 | 25.00 |
| 7/16 to 9/16 in. 4 to 6 ft | 2.50 | 20.00 |
| 5/16 to 7/16 in. 3 to 4 ft | 2.00 | 15.00 |
| Early Golden | | |

CHERRIES, Sour

| 2 year old Budded Trees | Per 10 | Per 100 |
|-------------------------------------|--------|---------|
| No. 1 grade 11/16 in. and up | 4.00 | 35.00 |
| Med. grade 9/16 to 11/16 in. and u | | 30.00 |
| No. 2 grade 7/16 to 9/16 in. and up | 3.00 | 25.00 |

Varieties:

Early Richmond Montmorency

CHERRIES, Sweet

| 2 year old Budded Trees | Per 10 | Per 100 | |
|-------------------------------------|--------|---------|--|
| No. 1 grade 11/16 in. and up | 4.50 | 40.00 | |
| Med. grade 9/16 to 11/16 in. and up | 4.00 | 35.00 | |
| No. 2 grade 7/16 to 9/16 in. and up | 3.00 | 25.00 | |
| Varieties. | | | |

| • | *************************************** | | |
|-------------------------|---|--------------------|---------|
| Bing Black Tartarian | Governor Wood Napoleon | \mathbf{Y} ellow | Spanish |

PEACHES

| Sturdy trees 1 year from buds | \mathbf{Per} | Per | \mathbf{Per} |
|--------------------------------|----------------|----------------------|----------------|
| Sturdy trees I year from buds | 10 | 100 | 1000 |
| 9/16 to 11/16 in. 4 ft. and up | 2.50 | 20.00 | 175.00 |
| 7/16 to 9/16 in. 3 ft. and up | 2.00 | 16.00 | 150.00 |
| 5/16 to 7/16 in. 2 ft. and up | 1.50 | 12.00 | 100.00 |
| About 5/16 in. 2 to 3 ft | 1.00 | 9.00 | 70.00 |

On the three lower grades mail list of varieties for letter prices.

Varieties:

| Belle of Georgia Bracket Carman Champion Crawford's Early Crawford's Late Cumberland | Fitzgerald Golden Jubilee Grensboro Globe Hiley Early Bell Heath Cling J. H. Hale | Niagara Oriole Radiance Roberta Rosebud Salway Shipley Late Red |
|--|---|---|
| Elberta | Lemon Free | Stump |
| Early Elberta | Marigold | |

| t | | |
|--|--------------------|------------------------|
| PEARS | | |
| 2 year old Standard Budded Trees | Per 10 | Per 100 |
| No. 1 grade 11/16 in. and up | 3.00 | 27.50 |
| Med. grade 9/16 to 11/16 in. and up | | 20.00 |
| No. 2 grade 7/16 to 9/16 in. and up | | 17.50 |
| 1 year old Standard Budded Trees | | |
| 4 to 6 ft. whips | 2.25 | 20.00 |
| 3 to 4 ft. whips | 1.75 | 15.00 |
| 2 to 3 ft. whips | 1.50 | 12.50 |
| Varieties: | | |
| | Flemish Keiffer | Beauty |
| PLUMS | | |
| | Per 10 | |
| 11/16 in. and up, 5 to 6 ft | 3.00 | 25.00 |
| 9/16 to 11/16 in. and up, 4½ to 6 ft. | . 2.25 2.00 | 20.00 17.00 |
| 7/16 to 9/16 in., 3 ft. and up | 4.00 | 17.00 |
| Varieties: | anahi | Damass |
| Abundance Fellenburg Shr Burbank Moore's Arctic | opsnire | Damson |
| CMAIL EDITITS | | TC |
| SMALL FRUITS |), L | , I C. |
| ASPARAGUS, Rust Pro | | D 1000 |
| | | Per 1000 |
| Mary Washington 2 yr. No. 1 | 1.25 | 6.00 |
| Mary Washington 2 yr. No. 2 | 1.00 | 5.00 |
| Pedigree Washington 2 yr. No. 1. | 1.25 | 6.00 |
| Pedigree Washington 2 yr. No. 2. | 1.00 | 5.00 |
| BLACKBERRIES | 100 | D 1000 |
| | | Per 1000 |
| Blower, root cuttings No. 1 | $3.00 \\ 3.00$ | 25.00 2 5.00 |
| Eldorado, root cuttings No. 1 Snyder, root cuttings No. 1 | 3.00 | 25.00 25.00 |
| GRAPES | | |
| Per | \mathbf{Per} | \mathbf{Per} |
| 10 | 100 | 1000 |
| Caco 2 yr. No. 1, light red 3.50 Campbell's Early 2 yr. No. 1 | | |
| black 1.50 | 12.00 | 100.00 |
| Concord 2 yr. No. 1, black 1.00 | 8.00 | 70.00 |
| Concord 2 yr. No. 2, black80 | 7.00 | 60.00 |
| Moore's Early 2 yr. No. 1, black 1.50 | 10.00 | 80.00 |
| Moore's Early 2 yr. No. 2, | 20.00 | 00,00 |
| black 1.00 | 8.00 | 70.00 |
| Niagara 2 yr. No. 1, white 1.50 | 10.00 | 80.00 |
| Niagara 2 yr. No. 2, white. 1.00 | 8.00 | 70.00 |
| Worden 2 yr. No. 1, blue- black 1.50 | 10.00 | 80.00 |
| RASPBERRIES | | |
| | er 100 | Per 1000 |
| Cumberland No. 1 tips | 3.00 | 25.00 |
| Latham No. 1 well rooted | 4.00 | 30.00 |
| St. Regis No. 1 well rooted | 2.50 | 20.00 |
| RHUBARB | | D = 000 |
| | er 100 | Per 1000 |
| Myatts Linneaus, 2 and 3 year divided plants | 3.50 | 25.00 |

Index of Common Names

| Page | Transfer along Cofficience | Page |
|---|----------------------------------|---|
| Abelia | Kentucky Coffeetree | 12, 63 |
| Alder 11 | Leucothoe | 61 |
| Althea 16 | Lilac | 23, 24 |
| Ampelopsis 26 | Linden | 14, 63 |
| Andromeda 10, 62 | LINING OUT DECID- UOUS SHRUBS | 63-64 |
| Apple | LINING OUT DECID- | 09-04 |
| Apricot 66 Aralia 16 | UOUS TREES | 62-63 |
| Arborvitae6, 7, 8, 60 | LINING OUT EVER- | |
| Ash 12, 62 | GREENS | 59-60 |
| Asparagus 67 | LINING OUT EVER- GREEN SHRUBS | 61-62 |
| Azaleas, Deciduous 63 Azaleas, Evergreen 8, 9, 61 | LINING OUT PEREN- | 01-02 |
| Baldcypress 63 | NIAL SEEDLINGS. | 65 |
| Barberry, Deciduous 16, 17 | LINING OUT VINES | 64 |
| Barberry, Evergreen 9, 61 | Magnolia | 15, €3 62 |
| Beautybush 17 | Maidenhair-tree 10, | |
| Beautybush | Mockorange | 21, 22 |
| Bittersweet 67 | Mountain-ash | 14 |
| Blackberry 26 | Mulberry | 13 |
| Bladder-senna 17, 63 | NUT TREES | $\begin{array}{c} 24 \\ 16 \end{array}$ |
| Boxwood 9, 61 BROADLEAVED EV- | Oak | 14, 63 |
| ERGREENS 8-10 | Olive, Russian | 19 |
| Buckeye (Horsechest- | Peach | 66 |
| $\mathbf{nut})$ 11 | Peach, Flowering | 15 67 |
| Buckthorn | Pear Pearlbush | 19, 64 |
| Bushclover 20 | PERENNIALS AND | , |
| Butterflybush 17 | ROCK GARDEN | |
| Buttonbush 17 | PLANTS PERENNIALS, SEED- | 28-58 |
| Catalpa | LINGS | 65 |
| Chaste-tree 25, 64 Cherry 66 | Periwinkle | 27 |
| Cherry, Flowering 15 | Persimmon | 64 |
| Chokeberry 16 | Pine6, | |
| Christmasberry 13, 63 | Planetree | 13 67 |
| Cinquefoil 22 Clematis 27, 36 | Plum, Flowering | 15 |
| CLIMBING VINES 26,27 | Poplar | 13 |
| Coffeetree 12 | Porcelain Ampelopsis | 26 |
| Coralberry 23 | Privet, Deciduous | 20, 21 |
| Cotoneaster 10, 61 Crab. Flowering 15 | Privet, Evergreen Pyracantha | 10, 61 62 |
| Crab, Flowering 15 Cranberry 24 | Quince, Japanese Flow- | 02 |
| Cypress | ering | 18 |
| Cypress, Bald 63 | Raspberry | 67 |
| DECIDUOUS | Raspberry, Flowering Redbud | $\frac{22}{12,62}$ |
| SHRUBS 16-25 DECIDUOUS | Redvein | 64 |
| TREES 10-14 | Reinospora | 3, 4 |
| Deutzia 18, 19 | Rhododendrons | 10 |
| Dogwood15, 17, 18 | Rhubarb | 67 |
| Douglas-fir, Blue 60 Elm 14, 63 | PLANTS | 28-58 |
| Elm 14, 63 Euonymus, Deciduous 19 | Rose-acacia | 22 |
| Euonymus, Evergreen. 10, 27 | Rose-of-Sharon | 16 |
| EVERGREENS 3-8 | ROSES | 25, 26 |
| Filbert 16, 62 Firethorn, Laland 62 | Russian Olive Sassafras | 19 14 |
| Firethorn, Laland 62 Fleecevine 64 | Scorpion-senna | 18, 63 |
| FLOWERING TREES. 15 | Scotch Broom | 18, 64 |
| Forsythia 19, 20 | Silver Lace Vine | 64 |
| Fringetree, White 17 FRUIT TREES 66 | SMALL FRUITS, etc Smoketree | $\begin{array}{c} 64 \\ 22 \end{array}$ |
| Globeflower 20 | Snowball | 24 |
| Gloryvine 27 | Snowberry | 23 |
| Goldenchain 62 | Spirea | 22, 23 |
| Goldenrain-tree 12, 62 | Spirea, Ural False | 22 |
| Grape 67 Hackberry 12 | Spruce | 59, 60 22 |
| Hawthorn | Sweetgum | 13 |
| Hemlock 60 | Sweetshrub | 17 |
| Holly 61 | Sycamore | 13 |
| Hollygrape | Tamarix Thorn | 24 15 |
| Honeylocust 12 Honeysuckle, Decidu- | Tuliptree | 13 |
| ous | Umbrella Tree | 12 |
| Honeysuckle, Ever- | Viburnum | 24, 64 |
| green 10 | Virginia Creeper | 26 16 |
| Horsechestnut (Aesculus) 11, 62 | Walnut Waxmyrtle | 21 |
| Hydrangea 20 | Wayfaring-tree | 24, 64 |
| Indigobush 16 | Weigela | 25 |
| Ivy | Wintersweet | 97 64 |
| Jasmine | Wisteria | 27, 64 20 |
| Jethead | Yellow-wood | 15 |
| Katsura-tree 62 | Yew | 60 |



WHOLESALE PRICE LIST

SPRING 1935

THE WESTMINSTER NURSERY
Westminster, Maryland